

- Abbasi-Ghahramanloo, A., Khodadost, M., Moradpour, F., Karimirad, M. R., Kamali, R., & Ziarati, F. (2018). Prevalence of nonmedical use of prescription-type opioids, methylphenidate, and sedative-hypnotics among university students in the south of Iran: a regression analysis. *Electron Physician*, 10(6), 6981-6987. doi: 10.19082/6981
- Abreu, A., Marinho, G., & Jomar, R. (2017). Need of brief intervention for use of alcohol, tobacco and other drugs among users of primary health care. *Jornal Brasileiro de Psiquiatria*, 66(2), 104-110.
- Abreu, A. M. M., Jomar, R. T., Taets, G. G. C., Souza, M., & Fernandes, D. B. (2018). Screening and Brief Intervention for the use of alcohol and other drugs. *Rev Bras Enferm*, 71(suppl 5), 2258-2263. doi: 10.1590/0034-7167-2017-0444
- Adebawale, O. O., & James, B. O. (2018). Psychoactive substance use and psychiatric morbidity among pregnant women attending an ante-natal clinic in Benin City, Nigeria. *Nigerian Postgraduate Medical Journal*, 25(1), 8-12. doi: 10.4103/npmj.npmj_189_17
- Aguilar-Raab, C., Heene, M., Grevenstein, D., & Weinhold, J. (2015). Assessing Drug Consumption Behavior With the Heidelberger Drogenbogen (Heidelberg Drug Scales): Reliabilities, Validities, and Cut-Off Criteria. *Substance Use & Misuse*, 50(13), 1638-1649. doi: 10.3109/10826084.2015.1027926
- Akin, J., Cochran, L., Woychek, A., Johnson, J. A., Seale, J. P., & Kuperminc, G. (2012). Correlation between assist score and 30 month mortality: Results from a sample of alcohol users presenting to the emergency department. *Alcoholism: Clinical and Experimental Research*, 1), 151A.
- Alford, D. P., German, J. S., Samet, J. H., Cheng, D. M., Lloyd-Travaglini, C. A., & Saitz, R. (2016). Primary Care Patients with Drug Use Report Chronic Pain and Self-Medicate with Alcohol and Other Drugs. *Journal of General Internal Medicine*, 31(5), 486-491. doi: 10.1007/s11606-016-3586-5
- Ali, R., Gowing, L., & Harland, J. (2016). The Ultradependent Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST-Lite) and Implications for Neuropathology. *Neuropathology of Drug Addictions and Substance Misuse* (Vol. 1, pp. 649-659): Elsevier Inc.
- Ali, R., Meena, S., Eastwood, B., Richards, I., & Marsden, J. (2013). Ultra-rapid screening for substance-use disorders: the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST-Lite). *Drug & Alcohol Dependence*, 132(1-2), 352-361. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2013.03.001>
- Allen, J., Hamilton, A., Nunn, R., Crock, L., Frecker, J., & Burk, N. (2009). Evaluation of a community-based mental health drug and alcohol nurse in the care of people living with HIV/AIDS. *Journal of Psychiatric & Mental Health Nursing*, 16(2), 129-136. doi: <http://dx.doi.org/10.1111/j.1365-2850.2008.01340.x>
- Almeida, M. F., Ferreira, F. F., Martins, M. A., & Ferreira, M. J. (2017). Alcohol and tobacco use and the diseases treated in general practice. *Rev Assoc Med Bras (1992)*, 63(5), 452-458. doi: 10.1590/1806-9282.63.05.452
- Alvanzo, A., Jabour, S., & Page, A. (2017). *Posttraumatic stress symptoms and*

- tobacco Or cannabis use among a sample of urban women.* Paper presented at the 40th Annual Meeting of the Society of General Internal Medicine, SGIM 2017.
- Amaral-Sabadini, M. B., Saitz, R., & Souza-Formigoni, M. L. O. (2010). Do attitudes about unhealthy alcohol and other drug (AOD) use impact primary care professionals' readiness to implement AOD-related preventive care? *Drug and Alcohol Review*, 29(6), 655-661. doi: 10.1111/j.1465-3362.2010.00222.x
- Ambaw, F., Mayston, R., Hanlon, C., & Alem, A. (2015). Depression among patients with tuberculosis: determinants, course and impact on pathways to care and treatment outcomes in a primary care setting in southern Ethiopia – a study protocol. *BMJ Open*, 5(7). doi: 10.1136/bmjopen-2015-007653
- Andrade, A. G., Duarte Pdo, C., Barroso, L. P., Nishimura, R., Alberghini, D. G., & Oliveira, L. G. (2012). Use of alcohol and other drugs among Brazilian college students: effects of gender and age. *Revista Brasileira de Psiquiatria*, 34(3), 294-305.
- Angkurawaranon, C., Wisetborisut, A., Jiraporncharoen, W., Likhitsathian, S., Uaphanthesath, R., Gomutbutra, P., . . . Nitsch, D. (2014). Chiang Mai University Health Worker Study aiming toward a better understanding of noncommunicable disease development in Thailand: methods and description of study population. *Clinical Epidemiology*, 6, 277-286. doi: 10.2147/CLEP.S65338
- Apantaku-Olajide, T., Darker, C. D., & Smyth, B. P. (2013). Onset of Cocaine Use: Associated Alcohol Intoxication and Psychosocial Characteristics Among Adolescents in Substance Abuse Treatment. *Journal of Addiction Medicine*, 7(3), 183-188. doi: 10.1097/ADM.0b013e318288daa2
- Arroyo, M., Natera, G., Gelberg, L., Andersen, R., & Rico, M. (2015). *Prevalence and correlates of drug use in women patients of community health centers in Tijuana, Mexico and Los Angeles, USA.* Paper presented at the 2015 Annual Meeting of the College on Problems of Drug Dependence, CPDD 2015.
- Arunpongpaisal, S., Maneeganondh, S., Jarassaeng, N., Pimpanit, V., & Boontooch, K. (2014). Prevalence of substance use disorder in Thai patients with bipolar disorders. *Bipolar Disorders*, 1), 111.
- Assanangkornchai, S., Balthip, Q., & Edwards, J. G. (2013). Screening and brief intervention for substance misuse in Thailand. *Public Health*, 127(12), 1140-1142. doi: 10.1016/j.puhe.2013.08.011
- Assanangkornchai, S., Balthip, Q., Edwards, J. G., & assistance of the, A.-S. B. I. D. C.-i. (2014). Implementing the Alcohol, Smoking, Substance Involvement Screening Test and linked brief intervention service in primary care in Thailand. *Journal of Public Health*, 36(3), 443-449. doi: 10.1093/pubmed/fdu011
- Assanangkornchai, S., & Nima, P. (2012). Screening and Brief Intervention for Harmful Alcohol and Drug Use in Primary Care and Community Settings in Thailand. *Alcoholism-Clinical and Experimental Research*, 36, 24a-24a.
- Assanangkornchai, S., Nima, P., McNeil, E. B., & Edwards, J. G. (2015). Comparative trial of the WHO ASSIST-linked brief intervention and simple

- advice for substance abuse in primary care. *Asian Journal of Psychiatry*, 18, 75-80. doi: <http://dx.doi.org/10.1016/j.ajp.2015.09.003>
- Assanangkornchai, S., Saingam, D., Apakupakul, N., & Edwards, J. G. (2017). Alcohol consumption, smoking, and drug use in pregnancy: Prevalence and risk factors in Southern Thailand. *Asia Pac Psychiatry*, 9(1). doi: 10.1111/appy.12247
- Baker, T. E., Stockwell, T., & Holroyd, C. B. (2013). Constraints on decision making: Implications from genetics, personality, and addiction. *Cognitive, Affective, & Behavioral Neuroscience*, 13(3), 417-436. doi: 10.3758/s13415-013-0164-8
- Baker, T. E., Wood, J. M. A., & Holroyd, C. B. (2016). Atypical valuation of monetary and cigarette rewards in substance dependent smokers. *Clinical Neurophysiology*, 127(2), 1358-1365. doi: <http://dx.doi.org/10.1016/j.clinph.2015.11.002>
- Ballou, S., & Karno, M. (2017). *Effectiveness of SBIRT on readiness for change and alcohol use among drinkers in community mental health settings*. Paper presented at the 40th Annual Scientific Meeting of the Research Society on Alcoholism.
- Barbosa, C., Cowell, A. J., Landwehr, J., Dowd, W., & Bray, J. W. (2016). Cost of Screening, Brief Intervention, and Referral to Treatment in Health Care Settings. *Journal of Substance Abuse Treatment*, 60, 54-61. doi: <http://dx.doi.org/10.1016/j.jsat.2015.06.005>
- Barreto, H. A., de Oliveira Christoff, A., & Boerngen-Lacerda, R. (2014). Development of a self-report format of ASSIST with university students. *Addictive Behaviors*, 39(7), 1152-1158. doi: <http://dx.doi.org/10.1016/j.addbeh.2014.03.014>
- Barry, L. C., Wakefield, D. B., Trestman, R. L., & Conwell, Y. (2016). Disability in prison activities of daily living and likelihood of depression and suicidal ideation in older prisoners. *International Journal of Geriatric Psychiatry*, n/a-n/a. doi: 10.1002/gps.4578
- Bart, G., Le, G., Nguyen, H., Tran, H., Rieckmann, T., Nguyen, S., . . . Rawson, R. (2015). *Alcohol and drug use among patients of HIV services in Hanoi, Vietnam*. Paper presented at the 2015 Annual Meeting of the College on Problems of Drug Dependence, CPDD 2015.
- Baumeister, S. E., Gelberg, L., Leake, B. D., Yacenda-Murphy, J., Vahidi, M., & Andersen, R. M. (2014). Effect of a primary care based brief intervention trial among risky drug users on health-related quality of life. *Drug & Alcohol Dependence*, 142, 254-261. doi: 10.1016/j.drugalcdep.2014.06.034
- Beatty, J. R., Chase, S. K., & Ondersma, S. J. (2014). A randomized study of the effect of anonymity, quasi-anonymity, and Certificates of Confidentiality on postpartum women's disclosure of sensitive information. *Drug and Alcohol Dependence*, 134, 280-284. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2013.10.016>
- Beaudoin, F. L., Baird, J., Liu, T., & Merchant, R. C. (2015). Sex Differences in Substance Use Among Adult Emergency Department Patients: Prevalence, Severity, and Need for Intervention. *Academic Emergency Medicine*, 22(11), 1307-1315. doi: <http://dx.doi.org/10.1111/acem.12810>

- Beaudoin, F. L., Baird, J. R., Guan, W., Liu, T., & Merchant, R. C. (2015). Sex differences in substance use among adult emergency department patients: Prevalence, severity, and need for intervention. *Academic Emergency Medicine*, 1), S68.
- Bengtson, A. M., Pence, B. W., Crane, H. M., Christopoulos, K., Fredericksen, R. J., Gaynes, B. N., . . . Mugavero, M. J. (2016). Disparities in Depressive Symptoms and Antidepressant Treatment by Gender and Race/Ethnicity among People Living with HIV in the United States. *PLoS ONE*, 11(8), e0160738. doi: 10.1371/journal.pone.0160738
- Bertanha, D., & Netto, A. R. (2012). Smoking, alcohol use in patients attending in the physiotherapy service at the Health System. [Portuguese]. [Tabagismo, alcoolismo em pacientes que frequentam um serviço de fisioterapia do Sistema Único de Saúde.]. *Medicina (Brazil)*, 45(1), 87-95.
- Bertholet, N., Cheng, D. M., Palfai, T. P., Lloyd-Travaglini, C., Samet, J. H., & Saitz, R. (2018). Anxiety, Depression, and Pain Symptoms: Associations With the Course of Marijuana Use and Drug Use Consequences Among Urban Primary Care Patients. *J Addict Med*, 12(1), 45-52. doi: 10.1097/ADM.0000000000000362
- Best, D. W., Wilson, A. S., MacLean, S., Savic, M., Reed, M., Bruun, A., & Lubman, D. I. (2013). Patterns of family conflict and their impact on substance use and psychosocial outcomes in a sample of young people in treatment. *Vulnerable Children and Youth Studies*, 9(2), 114-122. doi: 10.1080/17450128.2013.855858
- Biseul, I., Icick, R., Seguin, P., Bellivier, F., & Scott, J. (2016). Feasibility and Acceptability of the 'HABIT' Group Programme for Comorbid Bipolar and Alcohol and Substance use Disorders. *Clinical Psychology & Psychotherapy*, n/a-n/a. doi: 10.1002/cpp.2053
- Bodenmann, P., Baggio, S., Iglesias, K., Althaus, F., Velonaki, V.-S., Stucki, S., . . . Daeppen, J.-B. (2015). Characterizing the vulnerability of frequent emergency department users by applying a conceptual framework: a controlled, cross-sectional study. *International Journal for Equity in Health*, 14(1), 146. doi: 10.1186/s12939-015-0277-5
- Boerngen-Lacerda, R., Gomes, E. C., Barleta, C. M. B., Zottis, C. R., Klein, M., Do Nascimento, B., & Desenbrock, A. (2009). Analysis of the beliefs, skills and attitudes of the primary health care professionals on detection and brief intervention for at-risky drug use. *Alcoholism: Clinical and Experimental Research*, 1), 43A.
- Boerngen-Lacerda, R., Zottis, C. R., Zibe-Piegel, V. P., & Brandao Barleta, C. M. (2013). Early risky drug use detection in primary healthcare: how does it work in the real world? *Substance Use & Misuse*, 48(1-2), 147-156. doi: 10.3109/10826084.2012.740128
- Bogenschutz, M. P., Donovan, D. M., Adinoff, B., Crandall, C., Forcehimes, A. A., Lindblad, R., . . . Walker, R. (2011). Design of NIDA CTN Protocol 0047: Screening, Motivational Assessment, Referral, and Treatment in Emergency Departments (SMART-ED). *The American Journal of Drug and Alcohol Abuse*, 37(5), 417-425. doi: 10.3109/00952990.2011.596971
- Bogenschutz, M. P., Donovan, D. M., Mandler, R. N., & et al. (2014). Brief

- intervention for patients with problematic drug use presenting in emergency departments: A randomized clinical trial. *JAMA Internal Medicine*, 174(11), 1736-1745. doi: 10.1001/jamainternmed.2014.4052
- Bogenschutz, M. P., Donovan, D. M., Mandler, R. N., Perl, H. I., Forcehimes, A. A., Crandall, C., . . . Douaihy, A. (2014). Brief Intervention for Drug Users Presenting in Emergency Departments (NIDA CTN Protocol 0047: SMART-ED). *JAMA Internal Medicine*, 174(11), 1736-1745. doi: 10.1001/jamainternmed.2014.4052
- Bohnert, K., & Ilgen, M. (2015). *Associations between age and cannabis use problems among medical cannabis patients*. Paper presented at the 2015 Annual Meeting of the College on Problems of Drug Dependence, CPDD 2015.
- Bohnert, K. M., Walton, M. A., Ranney, M., Bonar, E. E., Blow, F. C., Zimmerman, M. A., . . . Cunningham, R. M. (2015). Understanding the service needs of assault-injured, drug-using youth presenting for care in an urban Emergency Department. *Addictive Behaviors*, 41, 97-105. doi: <http://dx.doi.org/10.1016/j.addbeh.2014.09.019>
- Bonar, E. E., Cunningham, R. M., Chermack, S. T., Blow, F. C., Barry, K. L., Booth, B. M., & Walton, M. A. (2014). Prescription Drug Misuse and Sexual Risk Behaviors Among Adolescents and Emerging Adults. *Journal of Studies on Alcohol and Drugs*, 75(2), 259-268. doi: 10.15288/jsad.2014.75.259
- Bonar, E. E., Cunningham, R. M., Polshkova, S., Chermack, S. T., Blow, F. C., & Walton, M. A. (2015). Alcohol and energy drink use among adolescents seeking emergency department care. *Addictive Behaviors*, 43, 11-17. doi: <http://dx.doi.org/10.1016/j.addbeh.2014.11.023>
- Bonar, E. E., Walton, M. A., Caldwell, M. T., Whiteside, L. K., Barry, K. L., & Cunningham, R. M. (2015). Sexually Transmitted Infection History among Adolescents Presenting to the Emergency Department. *The Journal of Emergency Medicine*, 49(5), 613-622. doi: <http://dx.doi.org/10.1016/j.jemermed.2015.02.017>
- Bonar, E. E., Walton, M. A., Cunningham, R. M., Chermack, S. T., Bohnert, A. S. B., Barry, K. L., . . . Blow, F. C. (2014). Computer-enhanced interventions for drug use and HIV risk in the emergency room: Preliminary results on psychological precursors of behavior change. *Journal of Substance Abuse Treatment*, 46(1), 5-14. doi: <http://dx.doi.org/10.1016/j.jsat.2013.08.005>
- Bonar, E. E., Walton, M. A., Epstein-Ngo, Q. M., Zimmerman, M. A., Blow, F. C., & Cunningham, R. M. (2016). Two-Year Trajectories of Sexual Risk Behaviors Among Drug-Using Adolescents and Emerging Adults in an Urban Community. *AIDS and Behavior*, 1-10. doi: 10.1007/s10461-016-1570-z
- Bonar, E. E., Whiteside, L. K., Walton, M. A., Zimmerman, M. A., Booth, B. M., Blow, F. C., & Cunningham, R. (2014). Prevalence and correlates of HIV risk among adolescents and young adults reporting drug use: Data from an urban Emergency Department in the U.S. *Journal of HIV/AIDS & social services*, 28(2), 625-630.
- Bonar, E. E., Whiteside, L. K., Walton, M. A., Zimmerman, M. A., Booth, B. M., Blow, F. C., & Cunningham, R. (2016). Prevalence and correlates of HIV risk among adolescents and young adults reporting drug use: Data from an

- urban emergency department in the United States. *Journal of HIV/AIDS & social services*, 15(1), 3-28. doi: 10.1080/15381501.2013.775685
- Bone, C., Gelberg, L., Vahidi, M., Leake, B., Yacenda-Murphy, J., & Andersen, R. M. (2016). Under-reporting of Risky Drug Use Among Primary Care Patients in Federally Qualified Health Centers. *Journal of Addiction Medicine*, 10(6), 387-394. doi: 10.1097/adm.0000000000000246
- Bonner, W. I. A., Andkhoie, M., Thompson, C., Farag, M., & Szafron, M. (2017). Patterns and factors of problematic marijuana use in the Canadian population: Evidence from three cross-sectional surveys. *Can J Public Health*, 108(2), e110-e116. doi: 10.17269/cjph.108.5926
- Braciszewski, J. M., & Colby, S. M. (2015). Tobacco use among foster youth: Evidence of health disparities. *Children and Youth Services Review*, 58, 142-145. doi: <http://dx.doi.org/10.1016/j.childyouth.2015.09.017>
- Brennecke, N., Boster, A. L., Wehr, A. M., & Nicholas, J. A. (2014). Prevalence and predictors of substance abuse in multiple sclerosis. *Multiple Sclerosis*, 1), 150-151.
- Broderick, K. B., Richmond, M. K., Fagan, J., & Long, A. W. (2015). Pilot Validation of a Brief Screen Tool for Substance Use Detection in Emergency Care. *Journal of Emergency Medicine*, 49(3), 369-374. doi: <http://dx.doi.org/10.1016/j.jemermed.2015.03.011>
- Brown, R. L., Moberg, D. P., Allen, J. B., Peterson, C. T., Saunders, L. A., Croyle, M. D., . . . Caldwell, S. B. (2014). A Team Approach to Systematic Behavioral Screening and Intervention. *The American journal of managed care*, 20(4), e113-e121.
- Brown, R. T., Goodman, L., Guzman, D., Tieu, L., Ponath, C., & Kushel, M. B. (2016). Pathways to Homelessness among Older Homeless Adults: Results from the HOPE HOME Study. *PLoS ONE*, 11(5), e0155065. doi: 10.1371/journal.pone.0155065
- Cardoso Tde, A., Mondin, T. C., Souza, L. D., da Silva, R. A., Magalhaes, P. V., Kapczinski, F., & Jansen, K. (2015). Functioning in bipolar disorder with substance abuse/dependence in a community sample of young adults. *Journal of Affective Disorders*, 187, 179-182. doi: <http://dx.doi.org/10.1016/j.jad.2015.08.046>
- Carneiro, A. P. L., & Souza-Formigoni, M. L. O. (2018). Country-wide distance training for delivery of screening and brief intervention for problematic substance use: A pilot evaluation of participant experiences and patient outcomes. *Substance Abuse*, 39(1), 102-109. doi: 10.1080/08897077.2017.1365801
- Carrico, A. W., Nil, E., Sophal, C., Stein, E., Sokunny, M., Yuthea, N., . . . Page, K. (2016). Behavioral interventions for Cambodian female entertainment and sex workers who use amphetamine-type stimulants. *Journal of behavioral medicine*, 39(3), 502-510. doi: 10.1007/s10865-016-9713-2
- Carroll, M., Spittal, M. J., Kemp-Casey, A. R., Lennox, N. G., Preen, D. B., Sutherland, G., & Kinner, S. A. (2017). High rates of general practice attendance by former prisoners: a prospective cohort study. *Med J Aust*, 207(2), 75-80.
- Carter, P. M., Walton, M. A., Roehler, D. R., Goldstick, J., Zimmerman, M. A., Blow,

- F. C., & Cunningham, R. M. (2015). Firearm Violence Among High-Risk Emergency Department Youth After an Assault Injury. *Pediatrics*, 135(5), 805-815. doi: 10.1542/peds.2014-3572
- Cartwright, J., & Asbridge, M. (2011). Passengers' Decisions to Ride With a Driver Under the Influence of Either Alcohol or Cannabis. *Journal of Studies on Alcohol and Drugs*, 72(1), 86-95. doi: 10.15288/jsad.2011.72.86
- Carvalho, A. C., Silva, M. E., Matos, B. M., Bottino, C. M., Abrahao, A. R., Cohrs, F. M., & Bottino, S. M. (2016). Depression in Women with Recurrent Miscarriages - an Exploratory Study. *Rev Bras Ginecol Obstet*, 38(12), 609-614. doi: 10.1055/s-0036-1597667
- Castro, M. R., Matsuo, T., & Nunes, S. O. (2010). Clinical characteristics and quality of life of smokers at a referral center for smoking cessation. *J Bras Pneumol*, 36(1), 67-74.
- Cerutti, F., Ramos, S. d. P., & Argimon, I. I. d. L. (2015). A IMPLICAÇÃO DAS ATITUDES PARENTAIS NO USO DE DROGAS NA ADOLESCÊNCIA. *Acta Colombiana de Psicología*, 18, 173-181.
- Chavez, K. E., Palfai, T. P., Squires, L. E., Cheng, D. M., Lloyd-Travaglini, C., & Saitz, R. (2018). Perceived discrimination and drug involvement among black primary care patients who use drugs. *Addictive Behaviors*, 77, 63-66. doi: 10.1016/j.addbeh.2017.08.029
- Chezhian, C., Murthy, S., Prasad, S., Kasav, J. B., Mohan, S. K., Sharma, S., . . . Joshi, A. (2015). Exploring Factors that Influence Smoking Initiation and Cessation among Current Smokers. *Journal of Clinical and Diagnostic Research : JCDR*, 9(5), LC08-LC12. doi: 10.7860/JCDR/2015/12047.5917
- Chomsri, P., Aramrattana, A., Siviroj, P., & Likhitsathian, S. (2018). Substance use among students in Thailand. *J Ethn Subst Abuse*, 1-13. doi: 10.1080/15332640.2018.1429974
- Chomsri, P., Likhitsathian, S., Aramrattana, A., & Siviroj, P. (2018). Self-efficacy, sensation seeking, right attitude, and readiness to change among alcohol drinkers in a Thai vocational school. *Addict Behav Rep*, 8, 107-112. doi: 10.1016/j.abrep.2018.08.006
- Choo, E. K., Ranney, M. L., Wong, Z., & Mello, M. J. (2012). Attitudes toward technology-based health information among adult emergency department patients with drug or alcohol misuse. *Journal of Substance Abuse Treatment*, 43(4), 397-401. doi: <http://dx.doi.org/10.1016/j.jsat.2012.09.005>
- Chow, C., Vallance, K., Stockwell, T., Macdonald, S., Martin, G., Ivsins, A., . . . Duff, C. (2013). Sexual identity and drug use harm among high-risk, active substance users. *Culture, Health & Sexuality*, 15(3), 311-326. doi: 10.1080/13691058.2012.754054
- Christensen, D. R., Witcher, C. S. G., Leighton, T., Hudson-Breen, R., & Ofori-Dei, S. (2018). Piloting the addition of contingency management to best practice counselling as an adjunct treatment for rural and remote disordered gamblers: study protocol. *BMJ Open*, 8(4), e018804. doi: 10.1136/bmjopen-2017-018804
- Christoff Ade, O., & Boerngen-Lacerda, R. (2015). Reducing substance involvement in college students: a three-arm parallel-group randomized controlled trial of a computer-based intervention. *Addictive Behaviors*, 45,

- 164-171. doi: <http://dx.doi.org/10.1016/j.addbeh.2015.01.019>
- Christoff, A. O., Barreto, H. G. A., & Boerngen-Lacerda, R. (2016). Development of a Computer-Based Format for the Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST) With University Students. *Substance Use & Misuse*, 51(9), 1207-1217. doi: 10.3109/10826084.2016.1161053
- Clair, V., Mutiso, V., Musau, A., Frank, E., & Ndetei, D. (2016). *Online learning improves substance use care in Kenya: Randomized control trial results and implications*. Paper presented at the 7th Annual CUGH Conference: Bridging to a Sustainable Future in Global Health.
- Clark, J. M., Cao, Y., & Krause, J. S. (2017). Risk of Pain Medication Misuse After Spinal Cord Injury: The Role of Substance Use, Personality, and Depression. *J Pain*, 18(2), 166-177. doi: 10.1016/j.jpain.2016.10.011
- Coleman-Cowger, V. H., Oga, E. A., Peters, E. N., Trocin, K., Koszowski, B., & Mark, K. (2018). Comparison and validation of screening tools for substance use in pregnancy: a cross-sectional study conducted in Maryland prenatal clinics. *BMJ Open*, 8(2), e020248. doi: 10.1136/bmjopen-2017-020248
- Coleman-Cowger, V. H., Oga, E. A., Peters, E. N., Trocin, K. E., Koszowski, B., & Mark, K. (2019). Accuracy of Three Screening Tools for Prenatal Substance Use. *Obstet Gynecol*, 133(5), 952-961. doi: 10.1097/AOG.0000000000003230
- Corradi-Webster, C. M., & Gherardi-Donato, E. C. (2016). Factors associated with problematic drug use among psychiatric outpatients. *Rev Lat Am Enfermagem*, 24, e2815. doi: 10.1590/1518-8345.1444.2815
- Costa Mde, A., Salum Junior, G. A., Isolan, L. R., Acosta, J. R., Jarros, R. B., Blaya, C., . . . Manfro, G. G. (2013). Association between anxiety symptoms and problematic alcohol use in adolescents. *Trends Psychiatry Psychother*, 35(2), 106-110.
- Csiernik, R., Forchuk, C., Buccieri, K., Richardson, J., Rudnick, A., Warner, L., & Wright, A. (2016). Substance Use of Homeless and Precariously Housed Youth in a Canadian Context. *International Journal of Mental Health and Addiction*, 1-15. doi: 10.1007/s11469-016-9656-4
- Cucciare, M. A., Weingardt, K. R., Valencia-Garcia, D., & Ghaus, S. (2015). Post-traumatic stress disorder and illicit drug use in veterans presenting to primary care with alcohol misuse. *Addiction Research & Theory*, 23(4), 287-293. doi: 10.3109/16066359.2014.984700
- Culnan, E., Zamzow, J., Mosti, C., Daly, B. P., Grandner, M., & Kloss, J. D. (2014). Social jetlag and chronotype as risk factors of substance use among college students. *Sleep*, 1), A45.
- Cunningham, R. M., Carter, P. M., Ranney, M., & et al. (2015). Violent reinjury and mortality among youth seeking emergency department care for assault-related injury: A 2-year prospective cohort study. *JAMA Pediatrics*, 169(1), 63-70. doi: 10.1001/jamapediatrics.2014.1900
- Cunningham, R. M., Ranney, M., Newton, M., Woodhull, W., Zimmerman, M., & Walton, M. A. (2014). Characteristics of Youth Seeking Emergency Care for Assault Injuries. *Pediatrics*, 133(1), e96.
- Cutcher, Z., Degenhardt, L., Alati, R., & Kinner, S. A. (2014). Poor health and social outcomes for ex-prisoners with a history of mental disorder: a longitudinal

- study. *Australian and New Zealand Journal of Public Health*, 38(5), 424-429. doi: 10.1111/1753-6405.12207
- da Cunha, S. M., Araujo, R. B., & Bizarro, L. (2015). Profile and pattern of crack consumption among inpatients in a Brazilian psychiatric hospital. *Trends Psychiatry Psychother*, 37(3), 126-132. doi: 10.1590/2237-6089-2014-0043
- da Silva, F. P., de Assis Siqueira Paiva, F., Guedes, C. P., da Silva Frazao, I., Vasconcelos, S. C., & da Costa Lima, M. D. (2018). Nursing Diagnoses of the Homeless Population in Light of Self-care Theory. *Arch Psychiatr Nurs*, 32(3), 425-431. doi: 10.1016/j.apnu.2017.12.009
- Dannatt, L., Cloete, K. J., Kidd, M., & Weich, L. (2014). Frequency and correlates of comorbid psychiatric illness in patients with heroin use disorder admitted to Stikland Opioid Detoxification Unit, South Africa. *South African Journal of Psychiatry*, 20, 77-82.
- Darker, C. D., Sweeney, B., Keenan, E., Whiston, L., Anderson, R., & Barry, J. (2016). Screening and Brief Interventions for Illicit Drug Use and Alcohol Use in Methadone Maintained Opiate-Dependent Patients: Results of a Pilot Cluster Randomized Controlled Trial Feasibility Study. *Substance Use & Misuse*, 51(9), 1104-1115. doi: 10.3109/10826084.2016.1160118
- Davis, C. G., Thomas, G., Jesseman, R., & Mazan, R. (2009). Drawing the line on risky use of cannabis: Assessing problematic use with the ASSIST. *Addiction Research & Theory*, 17(3), 322-332. doi: 10.1080/16066350802334587
- Davis, G. P., Tomita, A., Baumgartner, J. N., Mtshemla, S., Nene, S., King, H., . . . Burns, J. K. (2016). Substance use and duration of untreated psychosis in KwaZulu-Natal, South Africa. *S Afr J Psychiatr*, 22(1). doi: 10.4102/sajpsychiatry.v22i1.852
- Dawson-Rose, C., Draughon, J. E., Cuca, Y., Zepf, R., Huang, E., Cooper, B. A., & Lum, P. J. (2017). Changes in Specific Substance Involvement Scores among SBIRT recipients in an HIV primary care setting. *Addiction Science & Clinical Practice*, 12(1), 34. doi: 10.1186/s13722-017-0101-1
- Dawson-Rose, C., Draughon, J. E., Zepf, R., Cuca, Y. P., Huang, E., Freeborn, K., & Lum, P. J. (2017). Prevalence of Substance Use in an HIV Primary Care Safety Net Clinic: A Call for Screening. *J Assoc Nurses AIDS Care*, 28(2), 238-249. doi: 10.1016/j.jana.2015.12.001
- de Andrade, A. G., Duarte, P. C. A. V., Barroso, L. P., Nishimura, R., Alberghini, D. G., & de Oliveira, L. G. (2012). Use of alcohol and other drugs among Brazilian college students: Effects of gender and age. [Uso de alcool e outras drogas entre universitarios Brasileiros: Efeitos de genero e idade.]. *Revista Brasileira de Psiquiatria*, 34(3), 294-305.
- de Castro, M. R. P., Matsuo, T., & Nunes, S. O. V. (2010). Clinical characteristics and quality of life of smokers at a referral center for smoking cessation. [Spanish]. [Características clínicas e qualidade de vida de fumantes em um centro de referencia de abordagem e tratamento do tabagismo.]. *Jornal Brasileiro de Pneumologia*, 36(1), 67-74.
- De Castro, M. R. P., Matsuo, T., & Nunes, S. O. V. (2010). Characteristics of smokers in Smoking Cessation Interventions: An analysis of sex differences. *Addictive Disorders and their Treatment*, 9(4), 135-142.

- de Matos, M. B., de Mola, C. L., Trettim, J. P., Jansen, K., da Silva, R. A., Souza, L. D. M., . . . Quevedo, L. A. (2018). Psychoactive substance abuse and dependence and its association with anxiety disorders: a population-based study of young adults in Brazil. *Braz J Psychiatry*, 40(4), 349-353. doi: 10.1590/1516-4446-2017-2258
- Denering, L. L., & Spear, S. E. (2012). Routine use of screening and brief intervention for college students in a university counseling center. *Journal of Psychoactive Drugs*, 44(4), 318-324. doi: 10.1080/02791072.2012.718647
- Donald, K. A., Fouche, J. P., Roos, A., Koen, N., Howells, F. M., Riley, E. P., . . . Stein, D. J. (2016). Alcohol exposure in utero is associated with decreased gray matter volume in neonates. *Metabolic Brain Disease*, 31(1), 81-91. doi: 10.1007/s11011-015-9771-0
- Donald, K. A., Ipser, J. C., Howells, F. M., Roos, A., Fouche, J.-P., Riley, E. P., . . . Stein, D. J. (2016). Interhemispheric Functional Brain Connectivity in Neonates with Prenatal Alcohol Exposure: Preliminary Findings. *Alcoholism: Clinical and Experimental Research*, 40(1), 113-121. doi: 10.1111/acer.12930
- Donald, K. A., Roos, A., Fouche, J.-P., Koen, N., Howells, F. M., Woods, R. P., . . . Stein, D. J. (2015). A study of the effects of prenatal alcohol exposure on white matter microstructural integrity at birth. *Acta Neuropsychiatrica*, 27(4), 197-205. doi: 10.1017/neu.2015.35
- Donovan, D. M., Bogenschutz, M. P., Perl, H., Forcehimes, A., Adinoff, B., Mandler, R., . . . Walker, R. (2012). Study design to examine the potential role of assessment reactivity in the Screening, Motivational Assessment, Referral, and Treatment in Emergency Departments (SMART-ED) protocol. *Addiction Science & Clinical Practice*, 7(1), 16. doi: 10.1186/1940-0640-7-16
- Donovan, D. M., Hatch-Maillette, M. A., Phares, M. M., McGarry, E., Michelle Peavy, K., & Taborsky, J. (2015). Lessons learned for follow-up phone booster counseling calls with substance abusing emergency department patients. *Journal of Substance Abuse Treatment*, 50, 67-75. doi: <http://dx.doi.org/10.1016/j.jsat.2014.10.013>
- Draper, B., Ridley, N., Johnco, C., Withall, A., Sim, W., Freeman, M., . . . Lintzeris, N. (2015). Screening for alcohol and substance use for older people in geriatric hospital and community health settings. *International Psychogeriatrics*, 27(1), 157-166. doi: <http://dx.doi.org/10.1017/S1041610214002014>
- Dwommoh, R., Sorsdahl, K., Myers, B., Asante, K. P., Naledi, T., Stein, D. J., & Cleary, S. (2018). Brief interventions to address substance use among patients presenting to emergency departments in resource poor settings: a cost-effectiveness analysis. *Cost Eff Resour Alloc*, 16, 24. doi: 10.1186/s12962-018-0109-8
- e Kalsoom, U., Azeemi, M. M. H., & Farid, K. (2014). Substance use among students of professional institutes of Khyber Pakhtunkhwa. *Journal of Postgraduate Medical Institute*, 28(1), 53-57.
- Eaton, E. F., Tamhane, A. R., Burkholder, G. A., Willig, J. H., Saag, M. S., & Mugavero, M. J. (2016). Unanticipated Effects of New Drug Availability on Antiretroviral Durability: Implications for Comparative Effectiveness

- Research. *Open Forum Infect Dis*, 3(2), ofw109. doi: 10.1093/ofid/ofw109
- Englander, H., Klug, C. V., Solotaroff, R., Weimer, M. B., Noice, A., Hartnett, T., . . . Korthuis, P. T. (2016). Understanding needs and engaging community partners to develop a hospital-based improving addiction careteam (IMPACT). *Journal of General Internal Medicine*, 31(2), S446-S447.
- Englander, H., Velez Klug, C., Bielavitz, S., Chan, B., Weimer, M. B., & Korthuis, P. T. (2015). Understanding substance use needs among hospitalized adults. *Journal of General Internal Medicine*, 30, S292.
- Epstein-Ngo, Q. M., Walton, M. A., Chermack, S. T., Blow, F. C., Zimmerman, M. A., & Cunningham, R. M. (2014). Event-level analysis of antecedents for youth violence: Comparison of dating violence with non-dating violence. *Addictive Behaviors*, 39(1), 350-353. doi: <http://dx.doi.org/10.1016/j.addbeh.2013.10.015>
- Erinfolami, A., Olagunju, A., Oguntuase, A., & Akinbode, A. (2010). Correlates and prevalence of substance use among primary care patient in Ikorodu, Nigeria. *European Psychiatry Conference: 18th European Congress of Psychiatry. Munich Germany. Conference Publication*; 25(SUPPL. 1).
- Faller, S., Peuker, A. C., Sordi, A., Stolf, A., Souza-Formigoni, M. L., Cruz, M. S., . . . Kessler, F. (2014). Who seeks public treatment for substance abuse in Brazil? Results of a multicenter study involving four Brazilian state capitals. *Trends in Psychiatry and Psychotherapy*, 36(4), 193-202. doi: <http://dx.doi.org/10.1590/2237-6089-2014-0040>
- Fann, J. R., Bombardier, C. H., Richards, J., & et al. (2015). Venlafaxine extended-release for depression following spinal cord injury: A randomized clinical trial. *JAMA Psychiatry*, 72(3), 247-258. doi: 10.1001/jamapsychiatry.2014.2482
- Fantino, C., & Boggs, D. (June 2015). *Evaluation of cannabis use in veterans with posttraumatic stress disorder at va connecticut healthcare system*. Paper presented at the 18th Annual Meeting of the College of Psychiatric and Neurologic Pharmacists, CPNP.
- Fernandes, L. R., Colugnati, F. A. B., & Sartes, L. M. A. (2015). Development and evaluation of psychometric properties of the Brazilian version of Addiction Severity Index 6 (ASI-6) Light. *Jornal Brasileiro de Psiquiatria*, 64(2), 132-139.
- Fernández, M. I., Huszti, H. C., Wilson, P. A., Kahana, S., Nichols, S., Gonin, R., . . . Kapogiannis, B. G. (2015). Profiles of Risk Among HIV-Infected Youth in Clinic Settings. *AIDS and Behavior*, 19(5), 918-930. doi: 10.1007/s10461-014-0876-y
- Field, C. A., Cochran, G., Caetano, R., Foreman, M., & Brown, C. V. R. (2014). Postdischarge nonmedical use of prescription opioids in at-risk drinkers admitted to urban Level I trauma centers. *Journal of Trauma and Acute Care Surgery*, 76(3), 833-839. doi: 10.1097/ta.0000000000000100
- Filho, P. M., Jorge, K. O., Paiva, P. C., Ferreira, E. F., Ramos-Jorge, M. L., & Zarzar, P. M. (2014). The prevalence of dental trauma and its association with illicit drug use among adolescents. *Dental Traumatology*, 30(2), 122-127. doi: <http://dx.doi.org/10.1111/dt.12059>
- Ford, J. D., Chang, R., Levine, J., & Zhang, W. (2013). Randomized Clinical Trial

- Comparing Affect Regulation and Supportive Group Therapies for Victimization-Related PTSD With Incarcerated Women. *Behavior Therapy*, 44(2), 262-276. doi: <http://dx.doi.org/10.1016/j.beth.2012.10.003>
- Formiga, M. B., Vasconcelos, S. C., Galdino, M. K. C., & Lima, M. D. C. (2015). Presence of dual diagnosis between users and non-users of licit and illicit drugs in Brazil. *Jornal Brasileiro de Psiquiatria*, 64(4), 288-295.
- Fuscaldo, L. V., Bisol, L. W., & Lara, D. R. (2013). How emotional traits and affective temperaments relate to cocaine experimentation, abuse and dependence in a large sample. *Addictive Behaviors*, 38(3), 1859-1864.
- Fuster, D., Cheng, D. M., Wang, N., Bernstein, J. A., Palfai, T. P., Alford, D. P., . . . Saitz, R. (2016). Brief intervention for daily marijuana users identified by screening in primary care: A subgroup analysis of the ASPIRE randomized clinical trial. *Substance Abuse*, 37(2), 336-342. doi: 10.1080/08897077.2015.1075932
- Gamarel, K. E., Nichols, S., Kahler, C. W., Westfall, A. O., Lally, M. A., Wilson, C. M., & Adolescent Medicine Trials Network for, H. I. V. A. I. (2018). A cross-sectional study examining associations between substance use frequency, problematic use and STIs among youth living with HIV. *Sex Transm Infect*, 94(4), 304-308. doi: 10.1136/sextrans-2017-053334
- Garcia, M., Rico, M., Scholtz, J., Vahidi, M., Natera, G., Andersen, R., . . . Gelberg, L. (2015). Prevalence of illicit drug use among patients of community health centers in East Los Angeles and Tijuana. *Drug and Alcohol Dependence*, 146, e119.
- Gardner, L. I., Marks, G., Shahani, L., Giordano, T. P., Wilson, T. E., Drainoni, M. L., . . . Metsch, L. R. (2016). Assessing efficacy of a retention-in-care intervention among HIV patients with depression, anxiety, heavy alcohol consumption and illicit drug use. *AIDS*, 30(7), 1111-1119. doi: 10.1097/qad.0000000000001019
- Gavioli, A., Mathias, T. A. d. F., Rossi, R. M., & Oliveira, M. L. F. d. (2014). Risks related to drug use among male construction workers. *Acta Paulista de Enfermagem*, 27, 471-478.
- Gehue, L. J., Scott, E., Hermens, D. F., Scott, J., & Hickie, I. (2015). Youth Early-intervention Study (YES) – group interventions targeting social participation and physical well-being as an adjunct to treatment as usual: study protocol for a randomized controlled trial. *Trials*, 16(1), 333. doi: 10.1186/s13063-015-0834-7
- Gelberg, L., Andersen, R., Vahidi, M., Rico, M., Baumeister, S., & Leake, B. (2016, February 2017). *A multi-component brief intervention for risky drug use among Latino patients of a federally qualified health center in East Los Angeles: A randomized controlled trial of the quit using drugs intervention trial (quit) brief intervention*. Paper presented at the 2016 Annual Meeting of the College on Problems of Drug Dependence, CPDD 2016.
- Gelberg, L., Andersen, R. M., Afifi, A. A., Leake, B. D., Arangua, L., Vahidi, M., . . . Baumeister, S. E. (2015). Project QUIT (Quit Using Drugs Intervention Trial): a randomized controlled trial of a primary care-based multi-component brief intervention to reduce risky drug use. *Addiction*, 110(11), 1777-1790. doi: 10.1111/add.12993

- Gelberg, L., Natera Rey, G., Andersen, R. M., Arroyo, M., Bojorquez-Chapela, I., Rico, M. W., . . . Serota, M. (2017). Prevalence of Substance Use Among Patients of Community Health Centers in East Los Angeles and Tijuana. *Substance Use & Misuse*, 52(3), 359-372. doi: 10.1080/10826084.2016.1227848
- Gil, R., Sohler, N. L., Brisbane, M., Llanos, G. O., & Cunningham, C. O. (2011). Screening, brief intervention and referral to treatment (SBIRT) for opioid abuse in an Urban hospitalized population: A pilot study. *Journal of General Internal Medicine*, 26, S198-S199.
- Gilmore, D., Zorland, J., Akin, J., Johnson, J. A., Emshoff, J. G., & Kuperminc, G. P. (2018). Mortality risk in a sample of emergency department patients who use cocaine with alcohol and/or cannabis. *Substance Abuse*, 39(3), 266-270. doi: 10.1080/08897077.2017.1389799
- Glozier, N., O'Dea, B., McGorry, P. D., Pantelis, C., Amminger, G. P., Hermens, D. F., . . . Hickie, I. B. (2014). Delayed sleep onset in depressed young people. *BMC Psychiatry*, 14(1), 33. doi: 10.1186/1471-244X-14-33
- Goldstick, J. E., Lipton, R. I., Carter, P., Stoddard, S. A., Newton, M. F., Reischl, T., . . . Cunningham, R. M. (2015). The Effect of Neighborhood Context on the Relationship Between Substance Misuse and Weapons Aggression in Urban Adolescents Seeking ED Care. *Substance Use & Misuse*, 50(5), 674-684. doi: 10.3109/10826084.2014.998235
- Goldstick, J. E., Stoddard, S. A., Carter, P. M., Zimmerman, M. A., Walton, M. A., & Cunningham, R. M. (2016). Characteristic substance misuse profiles among youth entering an urban emergency department: neighborhood correlates and behavioral comorbidities. *Am J Drug Alcohol Abuse*, 42(6), 671-681. doi: 10.1080/00952990.2016.1174707
- Gomez Gallego, D., Espinal-Correa, C., & Cardona Arias, J. (2015). Prevalence of smoking, alcoholism and sedentary on medical students of an university of Medellin, 2014. *Archivos de Medicina*, 11(2).
- Gonzalez-Blanch, C., Gleeson, J. F., Cotton, S. M., Crisp, K., McGorry, P. D., & Alvarez-Jimenez, M. (2015). Longitudinal relationship between expressed emotion and cannabis misuse in young people with first-episode psychosis. *European Psychiatry: the Journal of the Association of European Psychiatrists*, 30(1), 20-25. doi: <http://dx.doi.org/10.1016/j.eurpsy.2014.07.002>
- Goodyear-Smith, F., Carter, A., & Suh, H. (2016). Electronic screening for lifestyle issues and mental health in youth: a community-based participatory research approach. *BMC Medical Informatics and Decision Making*, 16(1), 140. doi: 10.1186/s12911-016-0379-z
- Gray, D. M., Turkovic, L., Willemse, L., Visagie, A., Vanker, A., Stein, D. J., . . . Zar, H. J. (2017). Lung Function in African Infants in the Drakenstein Child Health Study. Impact of Lower Respiratory Tract Illness. *Am J Respir Crit Care Med*, 195(2), 212-220. doi: 10.1164/rccm.201601-0188OC
- Gryczynski, J., Carswell, S. B., O'Grady, K. E., Mitchell, S. G., & Schwartz, R. P. (2018). Gender and ethnic differences in primary care patients' response to computerized vs. in-person brief intervention for illicit drug misuse. *Journal of Substance Abuse Treatment*, 84, 50-56. doi: 10.1016/j.jsat.2017.10.009

- Gryczynski, J., Kelly, S. M., Mitchell, S. G., Kirk, A., O'Grady, K. E., & Schwartz, R. P. (2015). Validation and performance of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) among adolescent primary care patients. *Addiction*, 110(2), 240-247. doi: <http://dx.doi.org/10.1111/add.12767>
- Gryczynski, J., Mitchell, S. G., Gonzales, A., Moseley, A., Peterson, T. R., Ondersma, S. J., . . . Schwartz, R. P. (2015). A randomized trial of computerized vs. in-person brief intervention for illicit drug use in primary care: outcomes through 12 months. *Journal of Substance Abuse Treatment*, 50, 3-10. doi: <http://dx.doi.org/10.1016/j.jsat.2014.09.002>
- Gryczynski, J., Mitchell, S. G., Ondersma, S. J., O'Grady, K. E., & Schwartz, R. P. (2015). Potential Radiating Effects of Misusing Substances Among Medical Patients Receiving Brief Intervention. *Journal of Substance Abuse Treatment*, 55, 39-44. doi: <http://dx.doi.org/10.1016/j.jsat.2015.02.003>
- Gryczynski, J., O'Grady, K. E., Mitchell, S. G., Ondersma, S. J., & Schwartz, R. P. (2016). Immediate Versus Delayed Computerized Brief Intervention for Illicit Drug Misuse. *Journal of Addiction Medicine*, 10(5), 344-351. doi: [10.1097/ADM.0000000000000248](https://doi.org/10.1097/ADM.0000000000000248)
- Gryczynski, J., Schwartz, R. P., Mitchell, S. G., O'Grady, K. E., & Ondersma, S. J. (2014). Hair drug testing results and self-reported drug use among primary care patients with moderate-risk illicit drug use. *Drug & Alcohol Dependence*, 141, 44-50. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2014.05.001>
- Guan, W., Liu, T., Baird, J. R., & Merchant, R. C. (2015). Evaluation of a brief intervention to reduce the negative consequences of drug misuse among adult emergency department patients. *Drug and Alcohol Dependence*, 157, 44-53. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2015.10.007>
- Gupta, H. (2019). *Screening of substance use among treatment seekers at de addiction unit of advance center for ayurveda in mental health and neuroscience (ACAMH&NS), CCRAS NIMHANS, implication for evolving intervention and toxicology facility*. Paper presented at the 71st Annual Conference of Indian Psychiatric Society.
- Hall, A., Rodriguez, L., & Alvanzo, A. (2016). *Trauma exposure and substance use in women recruited from baltimore hair salons*. Paper presented at the 47th Annual Conference of the American Society of Addiction Medicine.
- Han, B. H., Sherman, S. E., Link, A. R., Wang, B., & McNeely, J. (2017). Comparison of the Substance Use Brief Screen (SUBS) to the AUDIT-C and ASSIST for detecting unhealthy alcohol and drug use in a population of hospitalized smokers. *Journal of Substance Abuse Treatment*, 79, 67-74. doi: [10.1016/j.jsat.2017.05.014](https://doi.org/10.1016/j.jsat.2017.05.014)
- Hankin, A., Daugherty, M., Bethea, A., & Haley, L. (2013). The Emergency Department as a prevention site: a demographic analysis of substance use among ED patients. *Drug & Alcohol Dependence*, 130(1-3), 230-233. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2012.10.027>
- Harris, S. K., Knight, J. J. R., Van Hook, S., Sherritt, L., L. Brooks, T., Kulig, J. W., . . . Saitz, R. (2016). Adolescent substance use screening in primary care: Validity of computer self-administered versus clinician-administered

- screening. *Substance Abuse*, 37(1), 197-203. doi: 10.1080/08897077.2015.1014615
- Hartzler, B., Dombrowski, J. C., Crane, H. M., Eron, J. J., Geng, E. H., Christopher Mathews, W., . . . Donovan, D. M. (2016). Prevalence and Predictors of Substance Use Disorders Among HIV Care Enrollees in the United States. *AIDS and Behavior*, 1-11. doi: 10.1007/s10461-016-1584-6
- Hartzler, B., Donovan, D., Beadnell, B., Crane, H., Eron, J., Geng, E., . . . Dombrowski, J. (2016, February 2017). *Domestic prevalence of substance use disorders in HIV care settings*. Paper presented at the 2016 Annual Meeting of the College on Problems of Drug Dependence, CPDD 2016.
- Hauli, K. A., Ndetei, D. M., Jande, M. B., & Kabangila, R. (2011). The prevalence of substance use among psychiatric patients: the case study of Bugando Medical centre, Mwanza (northern Tanzania). *Substance Abuse*, 32(4), 238-241. doi: 10.1080/08897077.2011.599253
- Henrique, I. F., De Micheli, D., Lacerda, R. B., Lacerda, L. A., & Formigoni, M. L. (2004). Validation of the Brazilian version of Alcohol, Smoking and Substance Involvement Screening Test (ASSIST)]. *Revista Da Associacao Medica Brasileira*, 50(2), 199-206.
- Hermens, D. F., Scott, E. M., White, D., Lynch, M., Lagopoulos, J., Whitwell, B. G., . . . Hickie, I. B. (2013). Frequent alcohol, nicotine or cannabis use is common in young persons presenting for mental healthcare: a cross-sectional study. *BMJ Open*, 3(2). doi: 10.1136/bmjopen-2012-002229
- Heslop, K., & Ross, C. (2014). The alcohol smoking and substance involvement screening test in an acute mental health setting. *Aust Nurs Midwifery J*, 21(11), 47.
- Heslop, K., Ross, C., Osmond, B., & Wynaden, D. (2013). The Alcohol Smoking and Substance Involvement Screening Test (ASSIST) in an Acute Mental Health Setting. *International Journal of Mental Health and Addiction*, 11(5), 583-600. doi: 10.1007/s11469-013-9428-3
- Heslop, K. R., Ross, C., Berkin, J., & Wynaden, D. (2015). Using the WHO ASSIST to Assess Drug and Alcohol Misuse in the Acute Mental Health Setting to Guide Treatment Interventions. *International Journal of Mental Health and Addiction*, 13(5), 618-634. doi: 10.1007/s11469-015-9548-z
- Hides, L., Cotton, S. M., Berger, G., Gleeson, J., O'Donnell, C., Proffitt, T., . . . Lubman, D. I. (2009). The reliability and validity of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in first-episode psychosis. *Addictive Behaviors*, 34(10), 821-825. doi: <http://dx.doi.org/10.1016/j.addbeh.2009.03.001>
- Holmwood, C., Marriott, M., & Humeniuk, R. (2008). Substance use patterns in newly admitted male and female South Australian prisoners using the WHO-ASSIST (Alcohol, Smoking and Substance Involvement Screening Test). *International journal of prison health*, 4(4), 198-207. doi: 10.1080/17449200802473123
- Holt, S. R., Ramos, J., Harma, M., Cabrera, F., Louis-Ashby, C., Dinh, A., . . . Tetrault, J. M. (2013). Physician detection of unhealthy substance use on inpatient teaching and hospitalist medical services. *Am J Drug Alcohol Abuse*, 39(2), 121-129. doi: 10.3109/00952990.2012.715703

- Holt, S. R., Ramos, J., Harma, M. A., Cabrera, F., Louis-Ashby, C., Dinh, A., . . . Fiellin, D. A. (2012). Prevalence of Unhealthy Substance Use on Teaching and Hospitalist Medical Services: Implications for Education. *The American Journal on Addictions*, 21(2), 111-119. doi: 10.1111/j.1521-0391.2011.00207.x
- Hotham, E., Ali, R., White, J., Sullivan, T., & Robinson, J. (2013). Investigation of the Alcohol, Smoking, and Substance Involvement Screening Test (the ASSIST) Version 3.0 in Pregnancy. *Addictive Disorders & Their Treatment*, 12(3), 123-135. doi: 10.1097/ADT.0b013e3182636904
- Hotham, E., White, J., Ali, R., & Robinson, J. (2012). Screening for use of alcohol, tobacco and cannabis in pregnancy using self-report tools. *Journal of Developmental Origins of Health and Disease*, 3(4), 216-223. doi: 10.1017/S2040174412000372
- Hotham, E. D., Ali, R. L., & White, J. M. (2016). Analysis of qualitative data from the investigation study in pregnancy of the ASSIST Version 3.0 (the Alcohol, Smoking and Substance Involvement Screening Test). *Midwifery*, 34, 183-197. doi: 10.1016/j.midw.2015.11.011
- Humeniuk, R., Ali, R., Babor, T., Souza-Formigoni, M. L., de Lacerda, R. B., Ling, W., . . . Vendetti, J. (2012). A randomized controlled trial of a brief intervention for illicit drugs linked to the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in clients recruited from primary health-care settings in four countries. *Addiction*, 107(5), 957-966. doi: <http://dx.doi.org/10.1111/j.1360-0443.2011.03740.x>
- Humeniuk, R., Ali, R., Babor, T. F., Farrell, M., Formigoni, M. L., Jittiwutikarn, J., . . . Simon, S. (2008). Validation of the Alcohol, Smoking And Substance Involvement Screening Test (ASSIST). *Addiction*, 103(6), 1039-1047. doi: 10.1111/j.1360-0443.2007.02114.x
- Humeniuk, R., Holmwood, C., Beshara, M., & Kambala, A. (2016). ASSIST-Y V1.0: First-Stage Development of the WHO Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) and Linked Brief Intervention for Young People. *Journal of Child & Adolescent Substance Abuse*, 25(4), 384-390. doi: 10.1080/1067828x.2015.1049395
- Humeniuk, R., Newcombe, D. A. L., Dennington, V., & Ali, R. (2018). A randomised controlled trial of a brief intervention for illicit drug use linked to ASSIST screening in a primary healthcare setting: results from the Australian component of the World Health Organization Phase III ASSIST studies. *Aust J Prim Health*, 24(2), 149-154. doi: 10.1071/PY17056
- Jabour, S., Page, A., & Alvanzo, A. (June 2017). *Association between alcohol misuse and cannabis craving and use among a sample of urban women*. Paper presented at the 40th Annual Scientific Meeting of the Research Society on Alcoholism.
- Jacquet, J. M., Donnadieu-Rigole, H., Peries, M., Makinson, A., Nagot, N., Reynes, J., . . . MesConso study group, n. (2019). Implementing screening, brief intervention and referral to treatment in a French cohort of people living with HIV: a pilot study. *HIV Med*, 20(4), 286-290. doi: 10.1111/hiv.12709
- Jaisoorya, T. S., Beena, K. V., Beena, M., Ellangovan, K., Thennarassu, K., Bowden-Jones, H., . . . George, S. (2016). Do High School Students in India

- Gamble? A Study of Problem Gambling and Its Correlates. *Journal of Gambling Studies*, 1-12. doi: 10.1007/s10899-016-9651-5
- Jaisoorya, T. S., Gowda, G. S., B.S., N., Menon, P. G., Rani, A., Radhakrishnan, K. S., . . . Benegal, V. (2018). Correlates of High-Risk and Low-Risk Alcohol Use among College Students in Kerala, India. *Journal of Psychoactive Drugs*, 50(1), 54-61.
- Jaisoorya, T. S., Janardhan Reddy, Y. C., Thennarasu, K., Beena, K. V., Beena, M., & Jose, D. C. (2015). An epidemiological study of obsessive compulsive disorder in adolescents from India. *Comprehensive Psychiatry*, 61, 106-114. doi: <http://dx.doi.org/10.1016/j.comppsych.2015.05.003>
- James, P. D., Fida, A. S., Konovalov, P., & Smyth, B. P. (2016). Non-medical use of olanzapine by people on methadone treatment. *BJP Psych Bull*, 40(6), 314-317. doi: 10.1192/pb.bp.115.052886
- Jhanjee, S., Lal, R., Mishra, A., & Yadav, D. (2015). Tobacco use characteristics amongst women in an urban community. *Indian Journal of Psychiatry*, 1), S60-S61.
- Jhanjee, S., Lal, R., Mishra, A., & Yadav, D. (2017). A Randomized Pilot Study of Brief Intervention versus Simple Advice for Women Tobacco Users in an Urban Community in India. *Indian J Psychol Med*, 39(2), 131-136. doi: 10.4103/0253-7176.203121
- Jiraniramai, S., Likhitsathian, S., Jiraporncharoen, W., Thaikla, K., Aramrattana, A., & Angkurawaranon, C. (2015). Risk-Minimizing Belief: Its Association with Smoking and Risk of Harm From Smoking in Northern Thailand. *J Ethn Subst Abuse*, 14(4), 364-378. doi: 10.1080/15332640.2014.991468
- Jiraporncharoen, W., Likhitsathian, S., Lerssrimongkol, C., Jiraniramai, S., Siriluck, L., & Angkurawaranon, C. (2015). Sedative use: its association with harmful alcohol use, harmful tobacco use and quality of life among health care workers in Thailand. *Journal of Substance Use*, 21(4), 414-422. doi: 10.3109/14659891.2015.1042081
- Johnson, J. A., Bembry, W., Peterson, J., Lee, A., & Seale, J. P. (2015). Validation of the ASSIST for Detecting Unhealthy Alcohol Use and Alcohol Use Disorders in Urgent Care Patients. *Alcoholism: Clinical & Experimental Research*, 39(6), 1093-1099. doi: <http://dx.doi.org/10.1111/acer.12733>
- Johnson, J. A., Dhabliwala, J., & Seale, J. P. (2012). Impact of a systems intervention on engagement in addiction treatment. *Alcoholism: Clinical and Experimental Research*, 36, 167A.
- Jorge, K. O., Cota, L. O., e Ferreira, E. F., do Vale, M. P., Kawachi, I., & Zarzar, P. M. (2015). Tobacco use and friendship networks: a cross-sectional study among Brazilian adolescents. *Cien Saude Colet*, 20(5), 1415-1424. doi: 10.1590/1413-81232015205.13542014
- Jorge, K. O., Ferreira, R. C., Ferreira, E. F., Vale, M. P., Kawachi, I., & Zarzar, P. M. (2017). Binge drinking and associated factors among adolescents in a city in southeastern Brazil: a longitudinal study. *Cad Saude Publica*, 33(2), e00183115. doi: 10.1590/0102-311X00183115
- Jorge, K. O., Oliveira Filho, P. M., Ferreira, E. F., Oliveira, A. C., Vale, M. P., & Zarzar, P. M. (2012). Prevalence and association of dental injuries with socioeconomic conditions and alcohol/drug use in adolescents between 15

- and 19 years of age. *Dental Traumatology*, 28(2), 136-141. doi: <http://dx.doi.org/10.1111/j.1600-9657.2011.01056.x>
- Joseph, J., Das, K., Basu, D., & Sharma, S. (2016). Screening for harmful alcohol use with the alcohol, smoking, and substance involvement screening test in clients recruited from workplace settings of a Tertiary Care Hospital of North India. *Indian Journal of Social Psychiatry*, 32(2), 164-166. doi: 10.4103/0971-9962.181102
- K., R.-A., L., G.-d.-R., G., L., & G., L. The relationship between substance use and depressive symptoms among Colombian adolescents. *West Indian Medical Journal*, 67(4), 323-327.
- Kaiser, D. J., & Karuntzos, G. (2016). An Examination of the Workflow Processes of the Screening, Brief Intervention, and Referral to Treatment (SBIRT) Program in Health Care Settings. *Journal of Substance Abuse Treatment*, 60, 21-26. doi: <http://dx.doi.org/10.1016/j.jsat.2015.08.001>
- Kallmen, H., Berman, A. H., Jayaram-Lindstrom, N., Hammarberg, A., & Elgan, T. H. (2019). Psychometric Properties of the AUDIT, AUDIT-C, CRAFFT and ASSIST-Y among Swedish Adolescents. *European Addiction Research*, 25(2), 68-77. doi: 10.1159/000496741
- Kane, J. C., Michalopoulos, L., Bass, J., Bolton, P., & Murray, L. (2015). Alcohol use among traumatized youth in Zambia. *Drug and Alcohol Dependence*, 146, e152-e153.
- Kane, J. C., Murray, L. K., Bass, J. K., Johnson, R. M., & Bolton, P. (2016). Validation of a substance and alcohol use assessment instrument among orphans and vulnerable children in Zambia using Audio Computer Assisted Self-Interviewing (ACASI). *Drug and Alcohol Dependence*, 166, 85-92. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2016.06.026>
- Kessler, F., Cacciola, J., Alterman, A., Faller, S., Souza-Formigoni, M. L., Cruz, M. S., . . . Pechansky, F. (2012). Psychometric properties of the sixth version of the addiction severity index (ASI-6) in Brazil. *Revista Brasileira de Psiquiatria*, 34(1), 24-33.
- Khan, R., Chatton, A., Nallet, A., Broers, B., Thorens, G., Achab-Arigo, S., . . . Zullino, D. (2011). Validation of the French version of the alcohol, smoking and substance involvement screening test (ASSIST). *European Addiction Research*, 17(4), 190-197. doi: <http://dx.doi.org/10.1159/000326073>
- Khan, R., Chatton, A., Thorens, G., Achab, S., Nallet, A., Broers, B., . . . Khazaal, Y. (2012). Validation of the French version of the alcohol, smoking and substance involvement screening test (ASSIST) in the elderly. *Substance Abuse Treatment, Prevention, & Policy*, 7, 14. doi: <http://dx.doi.org/10.1186/1747-597X-7-14>
- Khazaal, Y., Chatton, A., Monney, G., Nallet, A., Khan, R., Zullino, D., & Etter, J.-F. (2015). Internal consistency and measurement equivalence of the cannabis screening questions on the paper-and-pencil face-to-face ASSIST versus the online instrument. *Substance abuse treatment, prevention, and policy*, 10(1), 8. doi: 10.1186/s13011-015-0002-9
- Kiburi, S. K., Molebatsi, K., Obondo, A., & Kuria, M. W. (2018). Adverse childhood experiences among patients with substance use disorders at a referral psychiatric hospital in Kenya. *BMC Psychiatry*, 18(1), 197. doi: 10.1186/

- s12888-018-1780-1
- Kim, T., Bernstein, J., Cheng, D., Samet, J., Lloyd-Travaglini, C., Palfai, T., \, . . . Saitz, R. (2015). *Does screening and brief intervention for drug use in primary care increase receipt of substance use disorder treatment?* Paper presented at the 2015 Annual Meeting of the College on Problems of Drug Dependence, CPDD 2015.
- Kim, T. W., Bernstein, J., Cheng, D. M., Lloyd-Travaglini, C., Samet, J. H., Palfai, T. P., & Saitz, R. (2017). Receipt of addiction treatment as a consequence of a brief intervention for drug use in primary care: a randomized trial. *Addiction*, 112(5), 818-827. doi: 10.1111/add.13701
- Kim, T. W., Saitz, R., Kretsch, N., Cruz, A., Winter, M. R., Shanahan, C. W., & Alford, D. P. (2013). Screening for Unhealthy Alcohol and Other Drug Use by Health Educators: Do Primary Care Clinicians Document Screening Results? *Journal of Addiction Medicine*, 7(3), 204-209. doi: 10.1097/ADM.0b013e31828da017
- Kim, T. W., Samet, J. H., Cheng, D. M., Bernstein, J., Wang, N., German, J., & Saitz, R. (2015). The spectrum of unhealthy drug use and quality of care for hypertension and diabetes: a longitudinal cohort study. *BMJ Open*, 5(12). doi: 10.1136/bmjopen-2015-008508
- Kinner, S. A., Winter, R., & Saxton, K. (2015). A longitudinal study of health outcomes for people released from prison in Fiji: the HIP-Fiji project. *Australas Psychiatry*, 23(6 Suppl), 17-21. doi: 10.1177/1039856215608289
- Klimas, J., Fairgrieve, C., Tobin, H., Field, C. A., O'Gorman, C. S., Glynn, L. G., . . . Cullen, W. (2018). Psychosocial interventions to reduce alcohol consumption in concurrent problem alcohol and illicit drug users. *Cochrane Database Syst Rev*, 12, CD009269. doi: 10.1002/14651858.CD009269.pub4
- Koen, N., Wyatt, G. E., Williams, J. K., Zhang, M., Myer, L., Zar, H. J., & Stein, D. J. (2014). Intimate partner violence: associations with low infant birthweight in a South African birth cohort. *Metabolic Brain Disease*, 29(2), 281-299. doi: 10.1007/s11011-014-9525-4
- Kolla, N. J., van der Maas, M., Erickson, P. G., Mann, R. E., Seeley, J., & Vingilis, E. (2018). Attention deficit hyperactivity disorder and arrest history: Differential association of clinical characteristics by sex. *Int J Law Psychiatry*, 58, 150-156. doi: 10.1016/j.ijlp.2018.04.006
- Kolla, N. J., van der Maas, M., Toplak, M. E., Erickson, P. G., Mann, R. E., Seeley, J., & Vingilis, E. (2016). Adult attention deficit hyperactivity disorder symptom profiles and concurrent problems with alcohol and cannabis: sex differences in a representative, population survey. *BMC Psychiatry*, 16, 50. doi: <http://dx.doi.org/10.1186/s12888-016-0746-4>
- Kuchinad, K. E., Hutton, H. E., Monroe, A. K., Anderson, G., Moore, R. D., & Chander, G. (2016). A qualitative study of barriers to and facilitators of optimal engagement in care among PLWH and substance use/misuse. *BMC Research Notes*, 9(1), 229. doi: 10.1186/s13104-016-2032-4
- Kulesza, M., Marin, R. A., & Larimer, M. E. (2013). The relationship between stigma and substance use variables among college students at high risk for developing alcohol/drug use dependence. *Alcoholism: Clinical and*

- Experimental Research, 2), 139A.*
- Kulesza, M., Marin, R. A., & Larimer, M. E. (2013). The relationship between stigma and substance use variables among college students at high risk for developing alcohol/drug use dependence. *Alcoholism: Clinical and Experimental Research, 2), 139A.*
- Kumar, P. C., Cleland, C. M., Gourevitch, M. N., Rotrosen, J., Strauss, S., Russell, L., & McNeely, J. (2016). Accuracy of the Audio Computer Assisted Self Interview version of the Alcohol, Smoking and Substance Involvement Screening Test (ACASI ASSIST) for identifying unhealthy substance use and substance use disorders in primary care patients. *Drug and Alcohol Dependence, 165, 38-44.* doi: <http://dx.doi.org/10.1016/j.drugalcdep.2016.05.030>
- Lal, R., Balhara, Y. P. S., & Yadav, D. (2014). ASSIST linked brief interventions in identification and management of substance use disorders. *Indian Journal of Psychiatry, 1), S12.*
- Lasebikan, O., & Ayinde, O. (2015). *Randomized controlled trial of telephone based assisst linked brief intervention in reducing level of health risks among problem drinkers in Nigeria.* Paper presented at the 15th European Society for Biomedical Research on Alcoholism Congress, Spain.
- Lasebikan, V., & Aremu, O. O. (2016). Cannabis Use and Associated Harms among Schizophrenia Patients in a Nigerian Clinical Setting: A Case-Control Study. *Front Psychiatry, 7, 136.* doi: 10.3389/fpsyg.2016.00136
- Lasebikan, V., Ola, B. A., & Ayinde, O. O. (2017). Effectiveness of Alcohol, Smoking, and Substance Involvement Screening Test-Linked Brief Intervention on Harmful and Hazardous Alcohol Use in Nigerian Semirural Communities: A Non-Randomized Intervention Study. *Front Psychiatry, 8, 50.* doi: 10.3389/fpsyg.2017.00050
- Lasebikan, V. O., & Ola, B. A. (2016). Community-Based Screening, Brief Intervention, and Referral for Treatment for Unhealthy Tobacco Use: Single Arm Study Experience and Implementation Success in Rural and Semi-Rural Settings, South-West Nigeria. *Frontiers in Psychiatry, 7, 134.* doi: 10.3389/fpsyg.2016.00134
- Lasebikan, V. O., & Ola, B. A. (2016). Prevalence and Correlates of Alcohol Use among a Sample of Nigerian Semirural Community Dwellers in Nigeria. *J Addict, 2016, 2831594.* doi: 10.1155/2016/2831594
- Lawless, A. K., Owens, M. D., & Hagler, K. J. (2016). The difference between experimentation and addiction: The relationship between lifetime polysubstance use and current substance use disorders. *Alcoholism: Clinical and Experimental Research, 40, 101A.*
- Le, G., Nguyen, H., Bart, G., Rieckmann, T., Tran, H., Darfler, K., & Rawson, R. (2015). *Assist in HIV/AIDS service settings: Comparison of self-screening and peer-support screening method.* Paper presented at the 2015 Annual Meeting of the College on Problems of Drug Dependence, CPDD 2015.
- Leamy, T. E., Connor, J. P., Voisey, J., Young, R. M., & Gullo, M. J. (2016). Alcohol misuse in emerging adulthood: Association of dopamine and serotonin receptor genes with impulsivity-related cognition. *Addictive Behaviors, 63, 29-36.* doi: <http://dx.doi.org/10.1016/j.addbeh.2016.05.008>

- Lebrun-Harris, L. A., Baggett, T. P., Jenkins, D. M., Sriipatana, A., Sharma, R., Hayashi, A. S., . . . Ngo-Metzger, Q. (2013). Health Status and Health Care Experiences among Homeless Patients in Federally Supported Health Centers: Findings from the 2009 Patient Survey. *Health Services Research*, 48(3), 992-1017. doi: 10.1111/1475-6773.12009
- Lee, C. S., Longabaugh, R., Baird, J., Streszak, V., Nirenberg, T., & Mello, M. (2015). Participant report of therapist-delivered active ingredients in a telephone-delivered brief motivational intervention predicts taking steps towards change. *Addict Res Theory*, 23(5), 421-428. doi: 10.3109/16066359.2015.1025062
- Lee, J. D., Delbanco, B., Wu, E., & Gourevitch, M. N. (2011). Substance use prevalence and screening instrument comparisons in urban primary care. *Substance Abuse*, 32(3), 128-134. doi: 10.1080/08897077.2011.562732
- Leite, L., Machado, L. N., & Lara, D. R. (2014). Emotional traits and affective temperaments in alcohol users, abusers and dependents in a national sample. *Journal of Affective Disorders*, 163, 65-69. doi: <http://dx.doi.org/10.1016/j.jad.2014.03.021>
- Leos-Toro, C., Rynard, V., & Hammond, D. (2018). Prevalence of problematic cannabis use in Canada: Cross-sectional findings from the 2013 Canadian Tobacco, Alcohol and Drugs Survey. *Can J Public Health*, 108(5-6), e516-e522. doi: 10.17269/cjph.108.5955
- Lin, L., Bohnert, A. S. B., Price, A. M., Jannausch, M., Bonar, E. E., & Ilgen, M. A. (2015). Pain acceptance and opiate use disorders in addiction treatment patients with comorbid pain. *Drug and Alcohol Dependence*, 157, 136-142. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2015.10.017>
- Lopez, M. R., Jansen, K., Souza, L. D., Pinheiro, R. T., Tomasi, E., & Silva, R. A. (2012). Prevalence and profile of daily smokers seen at three primary health care units in Pelotas, southern Brazil. *Trends Psychiatry Psychother*, 34(3), 154-160.
- Lopez-Rodriguez, J. A., & Rubio Valladolid, G. (2018). Web-Based Alcohol, Smoking, and Substance Involvement Screening Test Results for the General Spanish Population: Cross-Sectional Study. *Journal of Medical Internet Research*, 20(2), e57. doi: 10.2196/jmir.7121
- Lowenthal, E. D., Marukutira, T. C., Chapman, J., Mokete, K., Riva, K., Tshume, O., . . . Glanz, K. (2014). Psychosocial Assessments for HIV+ African Adolescents: Establishing Construct Validity and Exploring Under-Appreciated Correlates of Adherence. *PLoS ONE*, 9(10), e109302. doi: 10.1371/journal.pone.0109302
- Machado, I. K., Luz, P. M., Lake, J. E., Castro, R., Velasque, L., Clark, J. L., . . . De Boni, R. B. (2017). Substance use among HIV-infected patients in Rio de Janeiro, Brazil: Agreement between medical records and the ASSIST questionnaire. *Drug & Alcohol Dependence*, 178, 115-118. doi: 10.1016/j.drugalcdep.2017.04.033
- Machado, I. K., Luz, P. M., Lake, J. E., Castro, R., Velasque, L., Clark, J. L., . . . De Boni, R. B. (2017). Self-rated health and substance use among individuals in HIV care in Rio de Janeiro, Brazil: a cross-sectional study. *Int J STD AIDS*, 28(12), 1175-1183. doi: 10.1177/0956462417692278

- Mahintamani, T., & Singh, S. (2019). *Prevalence of substance use among the outpatients of a tertiary care psychiatric hospital in Amritsar: A cross-sectional study*. Paper presented at the 71st Annual Conference of Indian Psychiatric Society.
- Marques, T. C., Sarracini, K. L., Cortellazzi, K. L., Mialhe, F. L., de Castro Meneghim, M., Pereira, A. C., & Ambrosano, G. M. (2015). The impact of oral health conditions, socioeconomic status and use of specific substances on quality of life of addicted persons. *BMC Oral Health*, 15, 38. doi: <http://dx.doi.org/10.1186/s12903-015-0016-8>
- Mawson, E., Best, D., Beckwith, M., Dingle, G. A., & Lubman, D. I. (2015). Social identity, social networks and recovery capital in emerging adulthood: A pilot study. *Substance abuse treatment, prevention, and policy*, 10(1), 45. doi: 10.1186/s13011-015-0041-2
- Mawson, E., Best, D., & Lubman, D. I. (2016). Associations between social identity diversity, compatibility, and recovery capital amongst young people in substance use treatment. *Addictive Behaviors Reports*, 4, 70-77. doi: 10.1016/j.abrep.2016.10.002
- Maynie-Francois, C., Cheng, D. M., Samet, J. H., Lloyd-Tavaglini, C. A., Palfai, T. P., Bernstein, J. A., & Saitz, R. (2015). Impact of heavy drinking among drug users identified by screening in primary care. *Drug and Alcohol Dependence*, 146, e198-e199.
- Maynie-Francois, C., Cheng, D. M., Samet, J. H., Lloyd-Travaglini, C., Palfai, T., Bernstein, J., & Saitz, R. (2017). Unhealthy alcohol use in primary care patients who screen positive for drug use. *Substance Abuse*, 38(3), 303-308. doi: 10.1080/08897077.2016.1216920
- McNeely, J., Strauss, S. M., Rotrosen, J., Ramautar, A., & Gourevitch, M. N. (2016). Validation of an audio computer-assisted self-interview (ACASI) version of the alcohol, smoking and substance involvement screening test (ASSIST) in primary care patients. *Addiction*, 111(2), 233-244. doi: <http://dx.doi.org/10.1111/add.13165>
- McNeely, J., Strauss, S. M., Wright, S., Rotrosen, J., Khan, R., Lee, J. D., & Gourevitch, M. N. (2014). Test-retest reliability of a self-administered Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary care patients. *Journal of Substance Abuse Treatment*, 47(1), 93-101. doi: <http://dx.doi.org/10.1016/j.jsat.2014.01.007>
- McNeely, J., Wu, L., Subramaniam, G., & et al. (2016). Performance of the tobacco, alcohol, prescription medication, and other substance use (taps) tool for substance use screening in primary care patients. *Annals of Internal Medicine*, 165(10), 690-699. doi: 10.7326/M16-0317
- McRee, B., Babor, T. F., Lynch, M. L., & Vendetti, J. A. (2018). Reliability and Validity of a Two-Question Version of the World Health Organization's Alcohol, Smoking and Substance Involvement Screening Test: The ASSIST-FC. *J Stud Alcohol Drugs*, 79(4), 649-657.
- Meade, C. S., Lion, R. R., Cordero, D. M., Watt, M. H., Joska, J. A., Gouse, H., & Burnhams, W. (2016). HIV Risk Behavior Among Methamphetamine Users Entering Substance Abuse Treatment in Cape Town, South Africa. *AIDS and Behavior*, 20(10), 2387-2397. doi: 10.1007/s10461-016-1333-x

- Meli, S., Palfai, T., Cheng, D., Alford, D., Bernstein, J., Samet, J., & Saitz, R. (2015). *Screening and brief intervention for low risk drug use in primary care: A pilot randomized trial*. Paper presented at the 2015 Annual Meeting of the College on Problems of Drug Dependence, CPDD 2015.
- Meli, S., Palfai, T., Cheng, D. M., Alford, D., Bernstein, J., Samet, J., & Saitz, R. (2015). Screening and brief intervention for low risk drug use in primary care: A pilot randomized trial. *Drug and Alcohol Dependence*, 156, e149-e150. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2015.07.407>
- Mello, M. J., Baird, J., Lee, C., Strezsak, V., French, M. T., & Longabaugh, R. (2016). A Randomized Controlled Trial of a Telephone Intervention for Alcohol Misuse With Injured Emergency Department Patients. *Annals of Emergency Medicine*, 67(2), 263-275. doi: <http://dx.doi.org/10.1016/j.annemergmed.2015.09.021>
- Mello, M. J., Baird, J., Strezsak, V., Lee, C., & Longabaugh, R. (2015). A Telephone Intervention for Risky Alcohol Use With Injured Emergency Department Patients. *Annals of Emergency Medicine*, 66(4, Supplement), S104-S105. doi: <http://dx.doi.org/10.1016/j.annemergmed.2015.07.323>
- Menon, P. G., Jaisoorya, T. S., Nair, B. S., Rani, A., Revamma, M., Jeevan, C. R., . . . Jose, V. (2014). Prevalence and correlates of substance use among college students in Kerala (The 50 college study). *Indian Journal of Psychiatry*, 1), S81.
- Merchant, R., Romanoff, J., Zhang, Z., Liu, T., & Baird, J. (2017). *Impact of a brief intervention on reducing alcohol use and increasing alcohol treatment services utilization among alcohol-and drug-using adult emergency department patients*. Paper presented at the 2017 Annual Meeting of the Society for Academic Emergency Medicine, SAEM 2017.
- Merchant, R. C., Baird, J. R., & Liu, T. (2015). Short-term Efficacy of a Brief Intervention to Reduce Drug Misuse and Increase Drug Treatment Utilization Among Adult Emergency Department Patients. *Academic Emergency Medicine*, 22(10), 1172-1180. doi: 10.1111/acem.12767
- Merchant, R. C., Baird, J. R., Liu, T., Beaudoin, F., & Nirenberg, T. (2014). Severity of substance misuse and need for substance misuse interventions among adult emergency department patients. *Annals of Emergency Medicine*, 1), S68.
- Merchant, R. C., Baird, J. R., Liu, T., & Nirenberg, T. D. (2015). Does a brief intervention for adult emergency department patients decrease drug misuse and increase drug treatment services utilization? *Academic Emergency Medicine*, 1), S28-S29.
- Merchant, R. C., Baird, J. R., Liu, T., Taylor, L. E., Montague, B., & Nirenberg, T. (2014). Does a brief intervention increase HIV/HCV screening among drug-using emergency department patients? *Academic Emergency Medicine*, 1), S305-S306.
- Merchant, R. C., Baird, J. R., Liu, T., Taylor, L. E., Montague, B. T., & Nirenberg, T. D. (2014). Brief intervention to increase emergency department uptake of combined rapid human immunodeficiency virus and hepatitis C screening among a drug misusing population. *Academic Emergency Medicine*, 21(7), 752-767. doi: 10.1111/acem.12419

- Merchant, R. C., Liu, T., & Baird, J. R. (2016). Variations in Substance Use Prevalence Estimates and Need for Interventions among Adult Emergency Department Patients Based on Different Screening Strategies Using the ASSIST. *West J Emerg Med*, 17(3), 302-314. doi: 10.5811/westjem.2016.3.29723
- Merchant, R. C., Romanoff, J., Zhang, Z., Liu, T., & Baird, J. R. (2017). Impact of a brief intervention on reducing alcohol use and increasing alcohol treatment services utilization among alcohol- and drug-using adult emergency department patients. *Alcohol*, 65, 71-80. doi: 10.1016/j.alcohol.2017.07.003
- Merlin, J. S., Westfall, A. O., Raper, J. L., Zinski, A., Norton, W. E., Willig, J. H., . . . Mugavero, M. J. (2012). Pain, Mood, and Substance Abuse in HIV: Implications for Clinic Visit Utilization, ART Adherence, and Virologic Failure. *Journal of acquired immune deficiency syndromes* (1999), 61(2), 164-170. doi: 10.1097/QAI.0b013e3182662215
- Mertens, J. R., Ward, C. L., Bresick, G. F., Broder, T., & Weisner, C. M. (2014). Effectiveness of nurse-practitioner-delivered brief motivational intervention for young adult alcohol and drug use in primary care in South Africa: a randomized clinical trial. *Alcohol & Alcoholism*, 49(4), 430-438. doi: 10.1093/alcalc/agu030
- Micheli, D. D., Patrick, V. J., & Formigoni, M. L. O. S. (2010). Concurrent validation of Brazilian version of assist-who for adolescents. *Alcoholism: Clinical and Experimental Research*, 34, 128A.
- Miguel, C. S., Martins, P. A., Moleda, N., Klein, M., Chaim-Avancini, T., Gobbo, M. A., . . . Louza, M. R. (2016). Cognition and impulsivity in adults with attention deficit hyperactivity disorder with and without cocaine and/or crack dependence. *Drug & Alcohol Dependence*, 160, 97-104. doi: 10.1016/j.drugalcdep.2015.12.040
- Miguel, C. S., Silva, M. A., Chaim-Avancini, T., & Louza, M. R. (2015). Is alcohol, smoking and substance involvement screening test (ASSIST) a good screening instrument for patients with Attention-Deficit/Hyperactivity Disorder (ADHD)? *ADHD Attention Deficit and Hyperactivity Disorders*, 1), S106.
- Mokaya, A. G., Mutiso, V., Musau, A., Tele, A., Kombe, Y., Ng'ang'a, Z., . . . Clair, V. (2016). Substance Use among a Sample of Healthcare Workers in Kenya: A Cross-Sectional Study. *Journal of Psychoactive Drugs*, 48(4), 310-319. doi: 10.1080/02791072.2016.1211352
- Monney, G., Penzenstadler, L., Dupraz, O., Etter, J.-F., & Khazaal, Y. (2015). mHealth App for Cannabis Users: Satisfaction and Perceived Usefulness. *Frontiers in Psychiatry*, 6, 120. doi: 10.3389/fpsyg.2015.00120
- Mostardinha, A. R., Bartolo, A., Bonifacio, J., & Pereira, A. (2019). [Validation of The Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) Among University Students]. *Acta Med Port*, 32(4), 279-288. doi: 10.20344/amp.10650
- Moutinho, I. L. D., Lucchetti, A. L. G., Ezequiel, O. D. S., & Lucchetti, G. (2018). Prevalence, Incidence, and Factors Associated With Substance Use Among Medical Students: A 2-Year Longitudinal Study. *J Addict Med*. doi: 10.1097/ADM.0000000000000497

- Muriungi, S. K., & Ndetei, D. M. (2013). Effectiveness of psycho-education on depression, hopelessness, suicidality, anxiety and substance use among basic diploma students at Kenya Medical Training College. *South African Journal of Psychiatry*, 19(2), 41-50.
- Muriungi, S. K., Ndetei, D. M., Karanja, J., & Matheka, C. W. (2014). Alcohol and substance abuse risk among students at the Kenya Medical Training College. *Mental Health and Substance Use: Dual Diagnosis*, 7(2), 125-133.
- Murray, L. K., Skavenski, S., Kane, J. C., & et al. (2015). Effectiveness of trauma-focused cognitive behavioral therapy among trauma-affected children in Lusaka, Zambia: A randomized clinical trial. *JAMA Pediatrics*, 169(8), 761-769. doi: 10.1001/jamapediatrics.2015.0580
- Musau, A., Mokaya, A. G., Tele, A., Ndetei, D. M., Frank, E., Clair, V., & Mutiso, V. (2016). *Health workers learned brief intervention online through nextgenu.org and deliver them effectively*. Paper presented at the 47th Annual Conference of the American Society of Addiction Medicine.
- Mutiso, V. N., Pike, K. M., Musyimi, C. W., Gitonga, I., Tele, A., Rebello, T. J., . . . Ndetei, D. M. (2019). Feasibility and effectiveness of nurses and clinical officers in implementing the WHO mhGAP intervention guide: Pilot study in Makueni County, Kenya. *Gen Hosp Psychiatry*, 59, 20-29. doi: 10.1016/j.genhosppsych.2019.04.005
- Myers, B., Koen, N., Donald, K. A., Nhapi, R. T., Workman, L., Barnett, W., . . . Stein, D. J. (2018). Effect of Hazardous Alcohol Use During Pregnancy on Growth Outcomes at Birth: Findings from a South African Cohort Study. *Alcoholism: Clinical & Experimental Research*, 42(2), 369-377. doi: 10.1111/acer.13566
- N.S., K., L.M., K., A., H., & R., G. (2018). *Young People and the Stigma of HIV*. Paper presented at the AACAP's 65th Annual Meeting.
- Naar-King, S., Kolmodin, K., Parsons, J. T., & Murphy, D. (2010). Psychosocial factors and substance use in high-risk youth living with HIV: a multi-site study. *AIDS Care*, 22(4), 475-482. doi: 10.1080/09540120903220279
- Narvaez, J. C., Jansen, K., Pinheiro, R. T., Kapczinski, F., Silva, R. A., Pechansky, F., & Magalhaes, P. V. (2014). Violent and sexual behaviors and lifetime use of crack cocaine: a population-based study in Brazil. *Soc Psychiatry Psychiatr Epidemiol*, 49(8), 1249-1255. doi: 10.1007/s00127-014-0830-3
- Narvaez, J. C., Pechansky, F., Jansen, K., Pinheiro, R. T., Silva, R. A., Kapczinski, F., & Magalhaes, P. V. (2015). Quality of life, social functioning, family structure, and treatment history associated with crack cocaine use in youth from the general population. *Braz J Psychiatry*, 37(3), 211-218. doi: 10.1590/1516-4446-2014-1494
- Ndetei, D. M., Khasakhala, L. I., Ongecha-Owuor, F. A., Kuria, M. W., Mutiso, V., & Kokonya, D. A. (2009). Prevalence of substance abuse among patients in general medical facilities in Kenya. *Substance Abuse*, 30(2), 182-190. doi: 10.1080/08897070902802125
- Newcombe, D., Humeniuk, R., Dennington, V., & Ali, R. (2018). Participant perspectives on the Australian WHO ASSIST Phase III brief intervention for illicit drug use in a primary healthcare setting. *Aust J Prim Health*. doi: 10.1071/PY18035

- Newcombe, D., Tanielu-Stowers, H., McDermott, R., Stephen, J., & Nosa, V. (2016). The validation of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) amongst Pacific people in New Zealand. *New Zealand Journal of Psychology*, 45(1), 30-39.
- Newcombe, D. A., Humeniuk, R. E., & Ali, R. (2005). Validation of the World Health Organization Alcohol, Smoking and Substance Involvement Screening Test (ASSIST): report of results from the Australian site. *Drug & Alcohol Review*, 24(3), 217-226. doi: 10.1080/09595230500170266
- Nguyen Bich, D., Korthuis, P. T., Nguyen Thu, T., Van Dinh, H., & Le Minh, G. (2016). HIV Patients' Preference for Integrated Models of Addiction and HIV Treatment in Vietnam. *Journal of Substance Abuse Treatment*, 69, 57-63. doi: <http://dx.doi.org/10.1016/j.jsat.2016.07.003>
- Nichols, S. L., Lowe, A., Zhang, X., Garvie, P. A., Thornton, S., Goldberger, B. A., . . . Sleasman, J. W. (2014). Concordance between self-reported substance use and toxicology among HIV-infected and uninfected at risk youth. *Drug & Alcohol Dependence*, 134, 376-382. doi: 10.1016/j.drugalcdep.2013.11.010
- Nunes, S. O. V., Pizzo De Castro, M. R., Odebrecht Vargas, H., Mendonca Vargas, M., Bueno Rezende MacHado, R. C., Batista Fonseca, I. C., . . . Berk, M. (2013). Clinical characteristics and smoking cessation: An analysis of sex and depressive disorders differences. *Addictive Disorders and their Treatment*, 12(3), 158-165.
- Nunes, T. C., Hirano, R. S., Cruz, L. C., Seixas, A., Jean-Louis, G., & Fonseca, V. A. D. S. (2018). Self perceived memory difficulties in medical students as another symptom of anxiety. *Trends in Neuroscience and Education*, 11, 9-12.
- O'Brien, C. L., Ski, C. F., Thompson, D. R., Moore, G., Mancuso, S., Jenkins, A., . . . Castle, D. J. (2016). The Mental Health in Diabetes Service (MINDS) to enhance psychosocial health: study protocol for a randomized controlled trial. *Trials*, 17(1), 444. doi: 10.1186/s13063-016-1561-4
- O'Dea, B., Glozier, N., Purcell, R., McGorry, P. D., Scott, J., Feilds, K.-L., . . . Hickie, I. B. (2014). A cross-sectional exploration of the clinical characteristics of disengaged (NEET) young people in primary mental healthcare. *BMJ Open*, 4(12). doi: 10.1136/bmjopen-2014-006378
- Odebrecht Vargas Nunes, S., Pizzo de Castro, M. R., Ehara Watanabe, M. A., Losi Guembarovski, R., Odebrecht Vargas, H., Reiche, E. M., . . . Berk, M. (2014). Genetic polymorphisms in glutathione-S-transferases are associated with anxiety and mood disorders in nicotine dependence. *Psychiatr Genet*, 24(3), 87-93. doi: 10.1097/ypg.0000000000000023
- O'Grady, K. E., Gryczynski, J., Mitchell, S. G., Ondersma, S. J., & Schwartz, R. P. (2016). Confirmatory factor analysis of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in community health center patients. *The American Journal on Addictions*, 25(4), 259-263. doi: <http://dx.doi.org/10.1111/ajad.12360>
- Ondersma, S., Gryczynski, J., Mitchell, S., O'Grady, K., & Schwartz, R. (2016). Process evaluation of a technology-delivered screening and brief intervention for substance use in primary care. *Internet Interventions*, Part

- 1(4), 11-16.
- Padwa, H., Ni, Y. M., Barth-Rogers, Y., Arangua, L., Andersen, R., & Gelberg, L. (2014). Barriers to drug use behavior change among primary care patients in urban United States community health centers. *Substance Use & Misuse*, 49(6), 743-751. doi: 10.3109/10826084.2013.866962
- Page, K., Stein, E. S., Carrico, A. W., Evans, J. L., Sokunny, M., Nil, E., . . . Maher, L. (2016). Protocol of a cluster randomised stepped-wedge trial of behavioural interventions targeting amphetamine-type stimulant use and sexual risk among female entertainment and sex workers in Cambodia. *BMJ Open*, 6(5). doi: 10.1136/bmjopen-2015-010854
- Palfai, T., Saitz, R., & Winter, M. R. (2015). Moderators of electronic screening and brief intervention for marijuana among students in a health center: eCHECKUP TO GO bolsters efforts of those who are already trying to change. *Drug and Alcohol Dependence*, 156, e170. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2015.07.462>
- Palfai, T. P., Saitz, R., Winter, M., Brown, T. A., Kypri, K., Goodness, T. M., . . . Lu, J. (2014). Web-based screening and brief intervention for student marijuana use in a university health center: Pilot study to examine the implementation of eCHECKUP TO GO in different contexts. *Addictive Behaviors*, 39(9), 1346-1352. doi: <http://dx.doi.org/10.1016/j.addbeh.2014.04.025>
- Palfai, T. P., Tahaney, K., Winter, M., & Saitz, R. (2016). Readiness-to-change as a moderator of a web-based brief intervention for marijuana among students identified by health center screening. *Drug and Alcohol Dependence*, 161, 368-371. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2016.01.027>
- Palfai, T. P., Tahaney, K. D., & Winter, M. R. (2015). Is Marijuana Use Associated With Health Promotion Behaviors Among College Students? Health-Promoting and Health-Risk Behaviors Among Students Identified Through Screening in a University Student Health Services Center. *Journal of Drug Issues*, 46(1), 41-50. doi: 10.1177/0022042615610619
- Paltzer, J., Brown, R. L., Burns, M., Moberg, D. P., Mullahy, J., Sethi, A. K., & Weimer, D. (2016). Substance Use Screening, Brief Intervention, and Referral to Treatment Among Medicaid Patients in Wisconsin: Impacts on Healthcare Utilization and Costs. *The Journal of Behavioral Health Services & Research*, 1-11. doi: 10.1007/s11414-016-9510-2
- Parhami, I., Hyman, M., Siani, A., Lin, S., Collard, M., Garcia, J., . . . Fong, T. W. (2012). Screening for addictive disorders within a workers' compensation clinic: an exploratory study. *Substance Use & Misuse*, 47(1), 99-107. doi: 10.3109/10826084.2011.629705
- Park, T. W., Cheng, D. M., Lloyd-Travaglini, C. A., Bernstein, J., Palfai, T. P., & Saitz, R. (2015). Changes in health outcomes as a function of abstinence and reduction in illicit psychoactive drug use: a prospective study in primary care. *Addiction*, 110(9), 1476-1483. doi: 10.1111/add.13020
- Paruk, S., Jhazbhay, K., Singh, K., Sartorius, B., & Burns, J. K. (2015). Clinical correlates of first episode early onset psychosis in KwaZulu-Natal, South Africa. *J Child Adolesc Ment Health*, 27(2), 103-111. doi: 10.2989/17280583.2015.1080710
- Paruk, S., Jhazbhay, K., Singh, K., Sartorius, B., & Burns, J. K. (2017). The clinical

- impact of a positive family history of psychosis or mental illness in psychotic and non-psychotic mentally ill adolescents. *J Child Adolesc Ment Health*, 29(3), 219-229. doi: 10.2989/17280583.2017.1389741
- Paruk, S., Jhazbhay, K., Singh, K., Sartorius, B., & Burns, J. K. (2018). A comparative study of socio-demographic and substance use correlates in early-onset psychosis. *Early Interv Psychiatry*, 12(3), 339-347. doi: 10.1111/eip.12330
- Passos, S. M., & Souza, L. D. (2015). An evaluation of quality of life and its determinants among people living with HIV/AIDS from Southern Brazil. *Cadernos de saúde pública*, 31(4), 800-814.
- Paves, A. P., Hsu, S. H., & Lostutter, T. W. (2011). Examining risk for alcohol dependence in an ethnically diverse sample of U.S. college students: Less is more? *Alcoholism: Clinical and Experimental Research*, 1), 139A.
- Peltzer, K., & Pengpid, S. (2015). Anxiety and depression symptoms following smoking cessation and/or brief alcohol treatment among moderate risk smokers and drinkers. *Journal of Psychology in Africa*, 25(4), 361-363. doi: 10.1080/14330237.2015.1078095
- Peltzer, K., & Phaswana-Mafuya, N. (2018). Drug use among youth and adults in a population-based survey in South Africa. *S Afr J Psychiatr*, 24, 1139. doi: 10.4102/sajpsychiatry.v24i0.1139
- Pengpid, S., Peltzer, K., Puckpinyo, A., & Thammaaphiphon, K. (2016). Conjoint moderate or high-risk alcohol and tobacco use among male out-patients in Thailand. *South African Journal of Psychiatry*, 22, 1-5.
- Pengpid, S., Peltzer, K., Puckpinyo, A., Viripiromgool, S., Thamma-aphiphon, K., Suthisukhon, K., . . . Kongtapan, T. (2015). Screening and concurrent brief intervention of conjoint hazardous or harmful alcohol and tobacco use in hospital out-patients in Thailand: A randomized controlled trial. *Substance Abuse: Treatment, Prevention, and Policy*, 10(1). doi: 10.1186/s13011-015-0018-1
- Pereira, C. M., Pacagnella, R. C., Parpinelli, M. A., Andreucci, C. B., Zanardi, D. M., Souza, R., . . . Cecatti, J. G. (2018). Drug Use during Pregnancy and its Consequences: A Nested Case Control Study on Severe Maternal Morbidity. *Rev Bras Ginecol Obstet*, 40(9), 518-526. doi: 10.1055/s-0038-1667291
- Pérez Moreno, P., Calzada Álvarez, N., Rovira Guardiola, J., & Torrico Linares, E. (2012). Estructura factorial del test ASSIST: aplicación del análisis factorial exploratorio y confirmatorio. *Trastornos Adictivos*, 14(2), 44-49. doi: 10.1016/s1575-0973(12)70043-0
- Pesa, N., Hermens, D. F., Battisti, R. A., Kaur, M., Hickie, I. B., & Solowij, N. (2012). Delayed preattentional functioning in early psychosis patients with cannabis use. *Psychopharmacology*, 222(3), 507-518. doi: 10.1007/s00213-012-2676-2
- Peterson, J. W., Johnson, J. A., Lee, A., & Seale, J. P. (2012). Validation of the assist for detecting at-risk alcohol use in urgent care clinics. *Alcoholism: Clinical and Experimental Research*, 1), 154A.
- Phelps, C. L., Paniagua, S. M., Willcockson, I. U., & Potter, J. S. (2018). The relationship between self-compassion and the risk for substance use disorder. *Drug & Alcohol Dependence*, 183, 78-81. doi: 10.1016/

- j.drugalcdep.2017.10.026
- Piauilino, D. C., Bueno, O. F., Tufik, S., Bittencourt, L. R., Santos-Silva, R., Hachul, H., . . . Pompeia, S. (2010). The Prospective and Retrospective Memory Questionnaire: a population-based random sampling study. *Memory*, 18(4), 413-426. doi: 10.1080/09658211003742672
- Pires, A. J., Casanova, C. C., Quevedo Lde, A., Jansen, K., & Silva, R. A. (2014). Panic disorder and psychoactive substance use in primary care. *Trends Psychiatry Psychother*, 36(2), 113-118. doi: 10.1590/2237-6089-2013-0042
- Pischke, C. R., Zeeb, H., van Hal, G., Vriesacker, B., McAlaney, J., Bewick, B. M., . . . Mikolajczyk, R. T. (2012). A feasibility trial to examine the social norms approach for the prevention and reduction of licit and illicit drug use in European University and college students. *BMC Public Health*, 12(1), 882. doi: 10.1186/1471-2458-12-882
- Poblete, F., Barticevic, N. A., Zuzulich, M. S., Portilla, R., Castillo-Carniglia, A., Sapag, J. C., . . . Galarce, M. (2017). A randomized controlled trial of a brief intervention for alcohol and drugs linked to the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary health care in Chile. *Addiction*, 112(8), 1462-1469. doi: 10.1111/add.13808
- Poliah, V., & Paruk, S. (2017). Depression, anxiety symptoms and substance use amongst sex workers attending a non-governmental organisation in KwaZulu-natal, South Africa. *South African Family Practice*, 59(3), 116-122. doi: <http://dx.doi.org.salus.idm.oclc.org/10.1080/207861...>
- Prendergast, M., Cartier, J., & Lee, A. B. (2014). Considerations for Introducing SBIRT into a Jail Setting. *Offender programs report*, 17(6), 81-86.
- Prendergast, M. L., & Cartier, J. J. (2013). Screening, brief intervention, and referral to treatment (SBIRT) for offenders: protocol for a pragmatic randomized trial. *Addiction Science & Clinical Practice*, 8(1), 16. doi: 10.1186/1940-0640-8-16
- Prendergast, M. L., McCollister, K., & Warda, U. (2017). A randomized study of the use of screening, brief intervention, and referral to treatment (SBIRT) for drug and alcohol use with jail inmates. *Journal of Substance Abuse Treatment*, 74, 54-64. doi: 10.1016/j.jsat.2016.12.011
- Purcell, R., & Harrigan, S. (2017). Lifetime rates and correlates of crime victimisation in young people with mental ill-health. *Australas Psychiatry*, 25(2), 135-139. doi: 10.1177/1039856216658826
- Purcell, R., Harrigan, S., Glozier, N., Amminger, G. P., & Yung, A. R. (2015). Self reported rates of criminal offending and victimization in young people at-risk for psychosis. *Schizophrenia Research*, 166(1–3), 55-59. doi: <http://dx.doi.org/10.1016/j.schres.2015.05.024>
- Purcell, R., Jorm, A. F., Hickie, I. B., Yung, A. R., Pantelis, C., Amminger, G. P., . . . McGorry, P. D. (2015). Demographic and clinical characteristics of young people seeking help at youth mental health services: baseline findings of the Transitions Study. *Early Intervention in Psychiatry*, 9(6), 487-497. doi: 10.1111/eip.12133
- Ramos, J., Louis-Ashby, C., Holt, S., Harma, M., Cabrera, F., Dinh, A., . . . Fiellin, D. (2010). Prevalence of unhealthy substance use on teaching and hospitalist medical services: Implications for education. *Journal of General*

- Internal Medicine, 3), S362-S363.*
- Reeve, R., Arora, S., Butler, K., Viney, R., Burns, L., Goodall, S., & van Gool, K. (2016). Evaluating the Impact of Hospital Based Drug and Alcohol Consultation Liaison Services. *Journal of Substance Abuse Treatment, 68*, 36-45. doi: 10.1016/j.jsat.2016.05.008
- Richmond, M. K., Page, K., Rivera, L. S., Reimann, B., & Fischer, L. (2013). Trends in detection rates of risky marijuana use in Colorado health care settings. *Substance Abuse, 34*(3), 248-255. doi: 10.1080/08897077.2012.755146
- Richmond, M. K., Pampel, F. C., Rivera, L. S., Broderick, K. B., Reimann, B., & Fischer, L. (2015). Frequency and Risk of Marijuana Use among Substance-Using Health Care Patients in Colorado with and without Access to State Legalized Medical Marijuana. *Journal of Psychoactive Drugs, 47*(1), 1-9. doi: 10.1080/02791072.2014.991008
- Righetti, V., & Favrod-Coune, T. (2010). Screening and evaluation questionnaires for psychoactive substance use. *Revue Medicale Suisse, 6*(264), 1821-1825.
- Robles-García, R., Fresán, A., Castellanos-Ryan, N., Conrod, P., Gómez, D., de Quevedo y Domínguez, M. E. G., . . . Medina-Mora, M. E. (2014). Spanish version of the Substance Use Risk Profile Scale: Factor structure, reliability, and validity in Mexican adolescents. *Psychiatry Research, 220*(3), 1113-1117. doi: <http://dx.doi.org/10.1016/j.psychres.2014.08.057>
- Rogers, R., Baird, J., He, J. K., Adams, C., & Mello, M. (2014). Using the alcohol, smoking and Substance Involvement Screening Test (ASSIST) to determine substance abuse prevalence in the RI trauma population. *R I Med J (2013), 97*(2), 42-44.
- Rogers, R., Baird, J., Kit He, J., George, A., & Mello, M. (2013). Using the alcohol, smoking, and substance involvement screening test (assist) to determine the prevalence of substance abuse in the Rhode island trauma population. *Academic Emergency Medicine, 1*, S288.
- Rogers, R., Baird, J., Kit He, J., George, A., & Mello, M. (2013). Using the alcohol, smoking, and substance involvement screening test (assist) to determine the prevalence of substance abuse in the Rhode island trauma population. *Academic Emergency Medicine, 1*, S288.
- Romero-Acosta, K., Gomez-de-Regil, L., Lowe, G., & Lipps, G. The relationship between substance use and depressive symptoms among Colombian adolescents. *West Indian Medical Journal, 67*(4), 323-327.
- Ross, J. D., Bahl, R., Connery, H. S., & Greenfield, S. F. (2011). Implementation of screening, brief intervention, and referral to treatment in psychiatric emergency settings. *American Journal on Addictions, 20*(4), 378.
- Rotter, A., Bayerlein, K., Hansbauer, M., Weiland, J., Sperling, W., Kornhuber, J., & Biermann, T. (2012). Orexin A expression and promoter methylation in patients with cannabis dependence in comparison to nicotine-dependent cigarette smokers and nonsmokers. *Neuropsychobiology, 66*(2), 126-133. doi: 10.1159/000339457
- Rubio Valldolid, G., Martinez-Raga, J., Martinez-Gras, I., Ponce Alfaro, G., de la Cruz Bertolo, J., Jurado Barba, R., . . . Zarco Montejo, J. (2014). Validation

- of the Spanish version of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST). *Psicothema*, 26(2), 180-185. doi: <http://dx.doi.org/10.7334/psicothema2013.172>
- Sabari Sridhar, O. T., Murthy, P., & Kishore Kumar, K. V. (2017). Integrated brief tobacco and alcohol cessation intervention in a primary health-care setting in Karnataka. *Indian J Public Health*, 61(Supplement), S29-S34. doi: 10.4103/ijph.IJPH_235_17
- Saitz, R., Palfai, T. A., Cheng, D. M., & et al. (2014). Screening and brief intervention for drug use in primary care: The aspire randomized clinical trial. *JAMA*, 312(5), 502-513. doi: 10.1001/jama.2014.7862
- Salameh, P., Rachidi, S., Al-Hajje, A., Awada, S., Chouaib, K., Saleh, N., & Bawab, W. (2015). Substance use among Lebanese university students: prevalence and associated factors. *Eastern Mediterranean Health Journal*, 21(5), 332-341.
- Santos, H., Marcon, S. R., Espinosa, M. M., Baptista, M. N., & Paulo, P. M. C. (2017). Factors associated with suicidal ideation among university students. *Rev Lat Am Enfermagem*, 25, e2878. doi: 10.1590/1518-8345.1592.2878
- Santos, M., D., T., Ribeiro, C., Pianca, T., Saccilotto, I., Silla, L., & Picon, P. (2017). *Pain management and substance abuse in sickle cell disease patients*. Paper presented at the 14th Annual Meeting of the Health Technology Assessment International.
- Sarkar, S., Kattimani, S., Penchilaiya, V., & Premarajan, K. (2016). *Substance abuse among elderly in rural community in South India*. Paper presented at the 68th Annual National Conference of the Indian Psychiatric Society, ANCIPS 2016.
- Sayans Jiménez, P., Fernández Calderón, F., Vidal Giné, C., & Rojas Tejada, A. J. (2012). Aplicación de un modelo politómico de TRI al test ASSIST para el estudio de sus propiedades métricas. *Trastornos Adictivos*, 14(2), 50-57. doi: 10.1016/s1575-0973(12)70044-2
- Schneider, R., Jr., Ottoni, G. L., de Carvalho, H. W., Elisabetsky, E., & Lara, D. R. (2015). Temperament and character traits associated with the use of alcohol, cannabis, cocaine, benzodiazepines, and hallucinogens: evidence from a large Brazilian web survey. *Revista Brasileira de Psiquiatria*, 37(1), 31-39. doi: <http://dx.doi.org/10.1590/1516-4446-2014-1352>
- Schutz, C. G., Daamen, M., & Van Niekerk, C. (2005). German translation of the WHO ASSIST screening questionnaire. [German]. [Deutsche übersetzung des WHO ASSIST screening-fragebogens.]. *Sucht*, 51(5), 265-271.
- Schutz, C. G., Indlekofer, F., Piechatzek, M., Daamen, M., Waszak, F., Lieb, R., & Wittchen, H. U. (2004). Ecstasy users: Neurocognitive and psychological problem profiles and targeted early interventions. [German]. [Ecstasykonsumenten: Neurokognitive und funktionelle problemkonstellationen und antsatze zu spezifischen fruhinterventionen.]. *Suchtmedizin in Forschung und Praxis*, 6(1), 67-72.
- Schwartz, R. P., Gryczynski, J., Mitchell, S. G., Gonzales, A., Moseley, A., Peterson, T. R., . . . O'Grady, K. E. (2014). Computerized versus in-person brief intervention for drug misuse: a randomized clinical trial. *Addiction*, 109(7), 1091-1098. doi: <http://dx.doi.org/10.1111/add.12502>

- Schwartz, R. P., McNeely, J., Wu, L. T., Sharma, G., Wahle, A., Cushing, C., . . . Subramaniam, G. A. (2017). Identifying substance misuse in primary care: TAPS Tool compared to the WHO ASSIST. *Journal of Substance Abuse Treatment*, 76, 69-76. doi: 10.1016/j.jsat.2017.01.013
- Scott, E. M., Hermens, D. F., Naismith, S. L., Guastella, A. J., White, D., Whitwell, B. G., . . . Hickie, I. B. (2013). Distress and disability in young adults presenting to clinical services with mood disorders. *International Journal of Bipolar Disorders*, 1(1), 23. doi: 10.1186/2194-7511-1-23
- Scott, J., Scott, E. M., Hermens, D. F., Naismith, S. L., Guastella, A. J., White, D., . . . Hickie, I. B. (2014). Functional impairment in adolescents and young adults with emerging mood disorders. *The British Journal of Psychiatry*, 205(5), 362.
- Shanahan, C. W., Sorensen-Alawad, A., Carney, B. L., Persand, I., Cruz, A., Botticelli, M., . . . Alford, D. P. (2014). The implementation of an integrated information system for substance use screening in general medical settings. *Applied clinical informatics*, 5(4), 878-894. Retrieved from: <http://europepmc.org/abstract/MED/25589904>
- <http://europepmc.org/articles/PMC4287668?pdf=render>
- <http://europepmc.org/articles/PMC4287668>
- <http://dx.doi.org/10.4338/ACI-2014-03-RA-0025>
- <https://aci.schattauer.de/contents/archive/issue/2140/manuscript/23609/download.html> doi:10.4338/aci-2014-03-ra-0025
- Sharp, C., Dellis, A., Hofmeyr, A., Kincaid, H., & Ross, D. (2015). First Evidence of Comorbidity of Problem Gambling and Other Psychiatric Problems in a Representative Urban Sample of South Africa. *Journal of Gambling Studies*, 31(3), 679-694. doi: <http://dx.doi.org/10.1007/s10899-014-9469-y>
- Shepherd, S. M., & Purcell, R. (2015). What Are The Factors Associated With Criminal Behaviour For Young People With Mental Health Problems? *Psychiatry, Psychology and Law*, 22(6), 869-879. doi: 10.1080/13218719.2015.1015399
- Silva, A. C. D., Vargas, L. S., Lucchese, R., Calixto, B. S., Guimaraes, R. A., Vera, I., . . . Fernandes, I. L. (2017). Patterns of tobacco consumption among residents of a rural settlement: a cross-sectional study. *Rev Saude Publica*, 51, 100. doi: 10.11606/S1518-8787.2017051006781
- Silva-Oliveira, F., Jorge, K. O., Ferreira e Ferreira, E., Vale, M. P., Kawachi, I., & Zarzar, P. M. (2014). The prevalence of inhalant use and associated factors among adolescents in Belo Horizonte, Brazil. *Cien Saude Colet*, 19(3), 881-890.
- Simon, S. R., Checchi, K., McNair, S. S., Rubin, A., Marcello, T., & Bickmore, T. (2013). A pilot study of a computer-based relational agent to screen for substance-use problems in primary care. *Journal of General Internal Medicine*, 1), S6-S7.
- Simon, S. R., Checchi, K., McNair, S. S., Rubin, A., Marcello, T., & Bickmore, T. (2013). A pilot study of a computer-based relational agent to screen for substance-use problems in primary care. *Journal of General Internal Medicine*, 1), S6-S7.
- Singh, V., Epstein-Ngo, Q., Cunningham, R. M., Stoddard, S. A., Chermack, S. T.,

- & Walton, M. A. (2015). Physical dating violence among adolescents and young adults with alcohol misuse. *Drug and Alcohol Dependence*, 153, 364-368. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2015.05.003>
- Smith, L. R., Earnshaw, V. A., Copenhaver, M. M., & Cunningham, C. O. (2016). Substance use stigma: Reliability and validity of a theory-based scale for substance-using populations. *Drug and Alcohol Dependence*, 162, 34-43. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2016.02.019>
- Soares, M. H., Luís, M. A. V., Corradi-Webster, C. M., Martins, J. T., & Hirata, A. G. P. (2011). Conceito psicológico de otimismo e uso de drogas entre estudantes de enfermagem. *Acta Paulista de Enfermagem*, 24, 393-399.
- Sorge, G. B., Flora, D. B., van der Maas, M., Vingilis, E., Erickson, P., Kolla, N. J., . . . Toplak, M. E. (2015). Using factor analytic models to examine the association between attention-deficit/hyperactivity disorder symptoms and health-related outcomes in a representative population survey. *ADHD Attention Deficit and Hyperactivity Disorders*, 7(3), 225-235. doi: 10.1007/s12402-015-0167-0
- Sorsdahl, K., Myers, B., Ward, C. L., Matzopoulos, R., Mtukushe, B., Nicol, A., . . . Stein, D. J. (2015). Adapting a blended motivational interviewing and problem-solving intervention to address risky substance use amongst South Africans. *Psychother Res*, 25(4), 435-444. doi: 10.1080/10503307.2014.897770
- Sorsdahl, K., Stein, D. J., Carrara, H., & Myers, B. (2014). Problem solving styles among people who use alcohol and other drugs in South Africa. *Addictive Behaviors*, 39(1), 122-126. doi: <http://dx.doi.org/10.1016/j.addbeh.2013.09.011>
- Sorsdahl, K., Stein, D. J., Corrigall, J., Cuijpers, P., Smits, N., Naledi, T., & Myers, B. (2015). The efficacy of a blended motivational interviewing and problem solving therapy intervention to reduce substance use among patients presenting for emergency services in South Africa: A randomized controlled trial. *Substance Abuse Treatment, Prevention, & Policy*, 10, 46. doi: <http://dx.doi.org/10.1186/s13011-015-0042-1>
- Sorsdahl, K., Stein, D. J., Naledi, T., Breuer, E., & Myers, B. (2017). Problematic alcohol and other substance use among patients presenting to emergency services in South Africa: Who is ready for change? *S Afr Med J*, 107(4), 352-353. doi: 10.7196/SAMJ.2017.v107i4.10791
- Sorsdahl, K., Stein, D. J., Weich, L., Fourie, D., & Myers, B. (2012). The effectiveness of a hospital-based intervention for patients with substance-use problems in the Western Cape. *S Afr Med J*, 102(7), 634-635.
- Soto-Brandt, G., Huidobro, R. P., Artigas, D. H., Rivera-Rei, A., Escobar, M. J., Guzman, N. S., . . . Castillo-Carniglia, A. (2014). Validity evidence of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in Chile. *Adicciones*, 26(4), 291-302.
- Spear, S., Tillman, S., Moss, C., Gong-Guy, E., Ransom, L., & Rawson, R. A. (2009). Another Way of Talking About Substance Abuse: Substance Abuse Screening and Brief Intervention in a Mental Health Clinic. *J Hum Behav Soc Environ*, 19(8), 959-977. doi: 10.1080/10911350902992797
- Spear, S. E., Shedlin, M., Gilberti, B., Fiellin, M., & McNeely, J. (2016). Feasibility

- and acceptability of an audio computer-assisted self-interview version of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary care patients. *Substance Abuse*, 37(2), 299-305. doi: 10.1080/08897077.2015.1062460
- Spinelli, M. A., Ponath, C., Tieu, L., Hurstak, E. E., Guzman, D., & Kushel, M. (2015). Substance use in a population-based sample of older homeless adults. *Journal of General Internal Medicine*, 30, S261.
- Spinelli, M. A., Ponath, C., Tieu, L., Hurstak, E. E., Guzman, D., & Kushel, M. (2017). Factors associated with substance use in older homeless adults: Results from the HOPE HOME study. *Substance Abuse*, 38(1), 88-94. doi: 10.1080/08897077.2016.1264534
- Staton-Tindall, M., Webster, M., Leukefeld, C., Havens, J. R., & Oser, C. B. (2015). Women's intervention to stop HIV/HCV (WISH). *Drug and Alcohol Dependence*, 156, e211. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2015.07.569>
- Stea, J. N., & Hodgins, D. C. (2012). The relationship between lack of control and illusory pattern perception among at-risk gamblers and at-risk cannabis users. *The Social Science Journal*, 49(4), 528-536. doi: <http://dx.doi.org/10.1016/j.soscij.2012.05.001>
- Stea, J. N., Hodgins, D. C., & Lambert, M. J. (2011). Relations between delay discounting and low to moderate gambling, cannabis, and alcohol problems among university students. *Behavioural Processes*, 88(3), 202-205. doi: <http://dx.doi.org/10.1016/j.beproc.2011.09.002>
- Stein, D. J., Koen, N., Donald, K. A., Adnams, C. M., Koopowitz, S., Lund, C., . . . Zar, H. J. (2015). Investigating the psychosocial determinants of child health in Africa: The Drakenstein Child Health Study. *Journal of Neuroscience Methods*, 252, 27-35. doi: <http://dx.doi.org/10.1016/j.jneumeth.2015.03.016>
- Stoddard, S. A., Epstein-Ngo, Q., Walton, M. A., Zimmerman, M. A., Chermack, S. T., Blow, F. C., . . . Cunningham, R. M. (2015). Substance use and violence among youth: a daily calendar analysis. *Substance Use & Misuse*, 50(3), 328-339. doi: 10.3109/10826084.2014.980953
- Strezsak, V., Baird, J., Lee, C., Longabaugh, R., Nirenberg, T., & Mello, M. (2013). The utility of the assist in identifying the need for substance use interventions among an injured emergency department population. *American Journal of Epidemiology*, 11), S172.
- Strezsak, V., Baird, J., Lee, C. S., & Mello, M. J. (2017). Cross-Sectional Study of Risky Substance Use by Injured Emergency Department Patients. *West J Emerg Med*, 18(3), 345-348. doi: 10.5811/westjem.2017.1.32180
- Strezsak, V., Clark, M., & Mello, M. (2016). *Using missing data techniques to evaluate a telephone brief intervention for risky alcohol use among injured emergency department patients*. Paper presented at the 39th Annual Scientific Meeting of the Research Society on Alcoholism.
- Stringer, K. L., Marotta, P., Baker, E., Turan, B., Kempf, M. C., Drentea, P., . . . Turan, J. M. (2019). Substance Use Stigma and Antiretroviral Therapy Adherence Among a Drug-Using Population Living with HIV. *AIDS Patient Care STDS*, 33(6), 282-293. doi: 10.1089/apc.2018.0311
- Stringfellow, E. J., Kim, T. W., Gordon, A. J., Pollio, D. E., Grucza, R. A., Austin, E.

- L., . . . Kertesz, S. G. (2016). Substance use among persons with homeless experience in primary care. *Substance Abuse*, 37(4), 534-541. doi: 10.1080/08897077.2016.1145616
- Stringfellow, E. J., Kim, T. W., Pollio, D. E., & Kertesz, S. G. (2015). Primary care provider experience and social support among homeless-experienced persons with tri-morbidity. *Addiction Science & Clinical Practice*, 10(1), A64. doi: 10.1186/1940-0640-10-S1-A64
- Suarez, D. E., Cardozo, A. C., Ellmer, D., & Trujillo, E. M. *4.20 Teenagers as Medical Students in Colombia: Cross-Sectional Analysis of Key Mental Health Indicators*. Paper presented at the AACAP's 65th Annual Meeting.
- Suffoletto, B., Callaway, C. W., Kristan, J., Monti, P., & Clark, D. B. (2013). Mobile phone text message intervention to reduce binge drinking among young adults: study protocol for a randomized controlled trial. *Trials*, 14(1), 93. doi: 10.1186/1745-6215-14-93
- Suffoletto, B., & Chung, T. (2016). Patterns of Change in Weekend Drinking Cognitions Among Non-Treatment-Seeking Young Adults During Exposure to a 12-Week Text Message Intervention. *Journal of Studies on Alcohol and Drugs*, 77(6), 914-923. doi: 10.15288/jsad.2016.77.914
- Suffoletto, B., Kristan, J., Chung, T., Jeong, K., Fabio, A., Monti, P., & Clark, D. B. (2015). An Interactive Text Message Intervention to Reduce Binge Drinking in Young Adults: A Randomized Controlled Trial with 9-Month Outcomes. *PLoS ONE*, 10(11), e0142877. doi: 10.1371/journal.pone.0142877
- Sutherland, M. A., Fantasia, H. C., & McClain, N. (2013). Abuse Experiences, Substance Use, and Reproductive Health in Women Seeking Care at an Emergency Department. *Journal of Emergency Nursing*, 39(4), 326-333. doi: <http://dx.doi.org/10.1016/j.jen.2011.09.011>
- Szobot, C. M., Rohde, L. A., Bukstein, O., Molina, B. S., Martins, C., Ruaro, P., & Pechansky, F. (2007). Is attention-deficit/hyperactivity disorder associated with illicit substance use disorders in male adolescents? A community-based case-control study. *Addiction*, 102(7), 1122-1130.
- Tait, R. J., McKitin, R., Kay-Lambkin, F., Carron-Arthur, B., Bennett, A., Bennett, K., . . . Griffiths, K. M. (2014). A Web-Based Intervention for Users of Amphetamine-Type Stimulants: 3-Month Outcomes of a Randomized Controlled Trial. *JMIR Ment Health*, 1(1), e1. doi: 10.2196/mental.3278
- Tait, R. J., McKitin, R., Kay-Lambkin, F., Carron-Arthur, B., Bennett, A., Bennett, K., . . . Griffiths, K. M. (2015). Six-month outcomes of a Web-based intervention for users of amphetamine-type stimulants: randomized controlled trial. *Journal of Medical Internet Research*, 17(4), e105. doi: 10.2196/jmir.3778
- Tamayo Martinez, N., Rincon Rodriguez, C. J., de Santacruz, C., Bautista Bautista, N., Collazos, J., & Gomez-Restrepo, C. (2016). [Mental Problems, Mood and Anxiety Disorders in The Population Displaced by Violence in Colombia; Results of The National Mental Health Survey 2015]. *Rev Colomb Psiquiatr*, 45 Suppl 1, 113-118. doi: 10.1016/j.rcp.2016.09.004
- Tantirangsee, N., & Assanangkornchai, S. (2015). Prevalence, patterns, associated factors and severity of substance use among psychotic patients in southern Thailand. *Asian Journal of Psychiatry*, 13, 30-37. doi: <http://dx.doi.org/>

- 10.1016/j.ajp.2014.11.006
- Tantirangsee, N., Assanangkornchai, S., & Marsden, J. (2014). The association between clinical improvement in substance-related problems and psychiatric symptoms in psychosis: A post-hoc analysis. *Alcohol and Alcoholism*, 1), i4.
- Tantirangsee, N., Assanangkornchai, S., & Marsden, J. (2015). Effects of a brief intervention for substance use on tobacco smoking and family relationship functioning in schizophrenia and related psychoses: a randomised controlled trial. *Journal of Substance Abuse Treatment*, 51, 30-37. doi: <http://dx.doi.org/10.1016/j.jsat.2014.10.011>
- Tarantino, N., Parrott, D. J., & Kuperminc, G. P. (2011). Alcohol use severity mediates the association between daily marijuana use and psychiatric/behavioral risk in emerging adult ED patients. *Alcoholism: Clinical and Experimental Research*, 1), 148A.
- Temmingh, H., Hsieh, J., Stein, D. J., & Howells, F. (2014). A comparative study of the clinical characteristics and symptom profile in outpatients diagnosed with methamphetamine-induced psychotic disorder v. schizophrenia. *South African Journal of Psychiatry*, 20 (3), 126.
- Thake, J., & Davis, C. G. (2011). Assessing problematic cannabis use. *Addiction Research & Theory*, 19(5), 448-458. doi: 10.3109/16066359.2010.545154
- Thomas, A. C., & Staiger, P. K. (2012). Introducing mental health and substance use screening into a community-based health service in Australia: usefulness and implications for service change. *Health Soc Care Community*, 20(6), 635-644. doi: 10.1111/j.1365-2524.2012.01079.x
- Thomas, E. G., Spittal, M. J., Heffernan, E. B., Taxman, F. S., Alati, R., & Kinner, S. A. (2016). Trajectories of psychological distress after prison release: implications for mental health service need in ex-prisoners. *Psychological Medicine*, 46(3), 611-621. doi: 10.1017/S0033291715002123
- Thomas, E. G., Spittal, M. J., Taxman, F. S., & Kinner, S. A. (2015). Health-related factors predict return to custody in a large cohort of ex-prisoners: new approaches to predicting re-incarceration. *Health & Justice*, 3(1), 10. doi: 10.1186/s40352-015-0022-6
- Thompson, L., Pennay, A., Zimmermann, A., Cox, M., & Lubman, D. I. (2014). "Clozapine makes me quite drowsy, so when I wake up in the morning those first cups of coffee are really handy": an exploratory qualitative study of excessive caffeine consumption among individuals with schizophrenia. *BMC Psychiatry*, 14, 116. doi: <http://dx.doi.org/10.1186/1471-244X-14-116>
- Tiburcio, M., Lara, M. A., Martinez, N., Fernandez, M., & Aguilar, A. (2018). Web-Based Intervention to Reduce Substance Abuse and Depression: A Three Arm Randomized Trial in Mexico. *Substance Use & Misuse*, 53(13), 2220-2231. doi: 10.1080/10826084.2018.1467452
- Tiburcio Sainz, M., Rosete-Mohedano, M. G., Natera Rey, G., Martinez Velez, N. A., Carreno Garcia, S., & Perez Cisneros, D. (2016). Validity and Reliability of the Alcohol, Smoking, and Substance Involvement Screening Test (ASSIST) in University Students. *Adicciones*, 28(1), 19-27. doi: 10.20882/adicciones.786
- Tiet, Q. Q., Leyva, Y., Moos, R. H., & Smith, B. (2016). Diagnostic accuracy of a two-item screen for drug use developed from the alcohol, smoking and

- substance involvement screening test (ASSIST). *Drug and Alcohol Dependence*, 164, 22-27. doi: 10.1016/j.drugalcdep.2016.03.029
- Tockus, D., & Gonçalves, P. S. (2008). Detection of drugs abuse among Medicine students in a private university. *Jornal Brasileiro de Psiquiatria*, 57(3), 184-187.
- Toffolo, M. C. F., Marliere, C. A., & Nemer, A. S. A. (2013). Cardiovascular risk factors in alcoholics in treatment. [Fatores de risco cardiovascular em alcoolistas em tratamento]. *Jornal Brasileiro de Psiquiatria*, 62(2), 115-123.
- Tran, D., & Bhar, S. (2014). Predictors for treatment expectancies among young people who attend drug and alcohol services: A pilot study. *Clinical Psychologist*, 18(1), 33-42. doi: 10.1111/cp.12009
- Tran, L. T., Roos, A., Fouché, J.-P., Koen, N., Woods, R. P., Zar, H. J., . . . Donald, K. A. (2016). White Matter Microstructural Integrity and Neurobehavioral Outcome of HIV-Exposed Uninfected Neonates. *Medicine*, 95(4), e2577. doi: 10.1097/md.0000000000002577
- Tripathi, R., Dhawan, A., Rao, R., Mishra, A. K., Jain, R., & Sinha, S. (2019). Assessment of Subjective Sleep Problems in Men With Opioid Dependence Maintained on Buprenorphine. *J Addict Med*. doi: 10.1097/ADM.0000000000000539
- Trocin, K. E., Weinstein, N. I., Oga, E. A., Mark, K. S., & Coleman-Cowger, V. H. (2019). Prenatal Practice Staff Perceptions of Three Substance Use Screening Tools for Pregnant Women. *J Addict Med*. doi: 10.1097/ADM.0000000000000543
- Tucker, J. A., Cheong, J., Chandler, S. D., Crawford, S. M., & Simpson, C. A. (2015). Social networks and substance use among at-risk emerging adults living in disadvantaged urban areas in the southern United States: a cross-sectional naturalistic study. *Addiction*, 110(9), 1524-1532. doi: 10.1111/add.13010
- Um, M., Hummer, T. A., & Cyders, M. A. (2018). *Impulsivity, but not alcohol use behaviors, predicts in-scanner head motion in resting-state fMRI data*. Paper presented at the 41st Annual Scientific Meeting of the Research Society on Alcoholism.
- Vahidi, M., Rico, M., Scholtz, J., Garcia, M., Andersen, R., Yacenda, J., & Gelberg, L. (2015). Feasibility of the quit using drugs intervention trial. *Drug and Alcohol Dependence*, 146, e8. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2014.09.704>
- van der Westhuizen, C., Wyatt, G., Williams, J. K., Stein, D. J., & Sorsdahl, K. (2016). Validation of the Alcohol, Smoking and Substance Involvement Screening Test in a low- and middle-income country cross-sectional emergency centre study. *Drug and Alcohol Review*, 35(6), 702-709. doi: 10.1111/dar.12424
- Vargas, H. O., Nunes, S. O., de Castro, M. R., Vargas, M. M., Barbosa, D. S., Bortolasci, C. C., . . . Berk, M. (2013). Oxidative stress and inflammatory markers are associated with depression and nicotine dependence. *Neurosci Lett*, 544, 136-140. doi: 10.1016/j.neulet.2013.03.059
- Varshney, M., Ambekar, A., R., L., Yadav, D., Rao, R., & Mishra, A. (2016). Brief interventions for harmful alcohol use in opioid-dependent patients on

- maintenance treatment with buprenorphine: A prospective study from India. *Addictive Disorders and their Treatment*, 15(3), 129-135.
- Vingilis, E., Mann, R. E., Erickson, P., Toplak, M., Kolla, N. J., Seeley, J., & Jain, U. (2014). Attention deficit hyperactivity disorder, other mental health problems, substance use, and driving: examination of a population-based, representative canadian sample. *Traffic Injury Prevention*, 15 Suppl 1, S1-9. doi: 10.1080/15389588.2014.926341
- Viswanath, H., Velasquez, K. M., Savjani, R., Molfese, D. L., Curtis, K., Molfese, P. J., . . . Salas, R. (2015). Interhemispheric insular and inferior frontal connectivity are associated with substance abuse in a psychiatric population. *Neuropharmacology*, 92, 63-68.
- Vu, N. T. T., Holt, M., Phan, H. T. T., Le, H. T., La, L. T., Tran, G. M., . . . de Wit, J. (2016). Amphetamine-type stimulant use among men who have sex with men (MSM) in Vietnam: Results from a socio-ecological, community-based study. *Drug and Alcohol Dependence*, 158, 110-117. doi: <http://dx.doi.org/10.1016/j.drugalcdep.2015.11.016>
- Ward, C. L., Gould, C., Kelly, J., & Mauff, K. (2015). Spare the rod and save the child assessing the impact of parenting on child behaviour and mental health. *SA Crime Quarterly*, 09-22.
- Ward, C. L., Mertens, J. R., Bresick, G. F., Little, F., & Weisner, C. M. (2015). Screening and brief intervention for substance misuse: Does it reduce aggression and HIV-related risk behaviours? *Alcohol & Alcoholism*, 50(3), 302-309. doi: 10.1093/alcalc/agv007
- Ward, C. L., Mertens, J. R., Flisher, A. J., Bresick, G. F., Sterling, S. A., Distiller, G. B., & Weisner, C. M. (2005). Substance abuse and HIV risk behaviours amongst primary health care service users in Cape Town. *South African Psychiatry Review*, 8(4), 160-165.
- Ward, C. L., Mertens, J. R., Flisher, A. J., Bresick, G. F., Sterling, S. A., Little, F., & Weisner, C. M. (2008). Prevalence and correlates of substance use among South African primary care clinic patients. *Substance Use & Misuse*, 43(10), 1395-1410. doi: 10.1080/10826080801922744
- William Best, D., & Ian Lubman, D. (2016). Friends matter but so does their substance use: The impact of social networks on substance use, offending and wellbeing among young people attending specialist alcohol and drug treatment services. *Drugs: Education, Prevention and Policy*, 24(1), 111-117. doi: 10.3109/09687637.2016.1149148
- Wolff, N., & Shi, J. (2015). Screening for Substance Use Disorder Among Incarcerated Men with the Alcohol, Smoking, Substance Involvement Screening Test (ASSIST): A Comparative Analysis of Computer-Administered and Interviewer-Administered Modalities. *Journal of Substance Abuse Treatment*, 53, 22-32. doi: <http://dx.doi.org/10.1016/j.jsat.2015.01.006>
- Wong, U., & Hodgins, D. C. (2013). Development of the game addiction inventory for adults (GAIA). *Addiction Research & Theory*, 22(3), 195-209. doi: 10.3109/16066359.2013.824565
- Wonguppa, R., & Kanato, M. (2018). The prevalence and associated factors of new psychoactive substance use: A 2016 Thailand national household

- survey. *Addict Behav Rep*, 7, 111-115. doi: 10.1016/j.abrep.2017.11.001
- Woodruff, S. I., Zuniga, M. L., & Lawrenz, J. (2011). Ethnoracial differences in emergency department patients' tobacco use. *Nicotine & Tobacco Research*, 13(11), 1037-1044. doi: 10.1093/ntr/ntr128
- Wu, L.-T., McNeely, J., Subramaniam, G. A., Sharma, G., VanVeldhuisen, P., & Schwartz, R. P. (2016). Design of the NIDA clinical trials network validation study of tobacco, alcohol, prescription medications, and substance use/misuse (TAPS) tool. *Contemporary Clinical Trials*, 50, 90-97. doi: <http://dx.doi.org/10.1016/j.cct.2016.07.013>
- Yanta, J. H., Kristan, J. T., Douiah, A. B., & Suffoletto, B. P. (2015). EMF feasibility of using a novel text messaging programto improve linkage to outpatient services for emergency department patients seeking treatment for opioid abuse. *Annals of Emergency Medicine*, 66(4), S121.
- Zarkin, G., Bray, J., Hinde, J., & Saitz, R. (2015). Costs of Screening and Brief Intervention for Illicit Drug Use in Primary Care Settings. *Journal of Studies on Alcohol and Drugs*, 76(2), 222-228. doi: 10.15288/jsad.2015.76.222
- Zottis, C. R., Zibe-Piegel, V. P., Correia, D., Ioquinto, Y. T., Cretelia, A. B. M., Bovo, P. F. B., . . . Boerngen-Lacerda, R. (2010). Barriers and solutions faced during the implementation of detection and intervention for at-risky drug users in primary health care in Brazil. *Alcoholism: Clinical and Experimental Research*, 34 (6), 220A.